

MATHEMATICS DEPARTMENT
North Carolina State University

ALGEBRA AND COMBINATORICS SEMINAR

Monday, October 20, 2008

Professor Bruce E. Sagan
Michigan State University

Probabilistic proofs of hook length formulas involving trees

ABSTRACT: Let T be a rooted tree with n distinguishable vertices. We use T to stand for the vertex set of T . An *increasing labeling* of T is a bijection $\ell : T \rightarrow \{1, 2, \dots, n\}$ such that $\ell(v) \leq \ell(w)$ for all descendents w of v . Let f^T be the number of increasing labelings. The *hooklength*, h_v , of a vertex v is the number of descendents of v (including v itself). The hook length formula for trees states that

$$f^T = \frac{n!}{\prod_{v \in T} h_v}.$$

There is a similar formula for the number of standard Young tableaux of given shape where a hooklength is the cardinality of a set which resembles a physical hook. Greene, Nijenhuis, and Wilf gave a beautiful probabilistic proof of the tableau formula where the hooklengths enter in a very natural way.

Recently, Han discovered a formula which has the interesting property that hooklengths appear as exponents. Specifically, let $\mathcal{B}(n)$ be the set of all n -vertex binary trees (each vertex has no children, a left child, a right child, or both children). Han proved that

$$\sum_{T \in \mathcal{B}(n)} \prod_{v \in T} \frac{1}{h_v 2^{h_v - 1}} = \frac{1}{n!}$$

using algebraic manipulations. We will show how to give a simple probabilistic proof of this equation as well as various generalizations. We will also pose some open questions raised by this work.

3:00 - 3:50 pm HA 335

Faculty, students and post-docs are encouraged to attend.

Please note the unusual day.