

Editorial

EURASIP Journal on Wireless Communications and Networking Special Issue on Theory and Applications in Multi-user/Multi-terminal Communications

Huaiyu Dai, Department of Electrical and Computer Engineering, NC State University, Raleigh, NC, 27695-7911, USA. Email: hdai@ncsu.edu

Michael Gastpar, Department of Electrical Engineering and Computer Science, University of California at Berkeley, 265 Cory Hall, Berkeley, CA 94720-1770, USA. Email: gastpar@eecs.berkeley.edu

Nihar Jindal, Department of Electrical and Computer Engineering, University of Minnesota, 200 Union St. SE, Minneapolis, MN 55455, USA. Email: nihar@umn.edu

Liang-Liang Xie, Department of Electrical and Computer Engineering, University of Waterloo, 200 University Avenue West, Waterloo, Ontario N2L 3G1, Canada. llxie@ece.uwaterloo.ca

Multiuser or multi-terminal communications broadly covers many vibrant research areas in communications, signal processing and networking. For some, it refers to the characterization of the fundamental limits of communication among multiple nodes, which, even for simple abstract models, has proved very challenging. Others may consider it more interesting to investigate efficient designs and resource management in practical systems and networks. Yet more and more researchers are turning to problems emerging from increasingly larger and more complex networks, where distributed processing and cross-layer approaches are favored. Whatever the circumstances, it is the rich nature of interactions among users/terminals that makes the study more intriguing from both the theoretical and practical point of view, and admittedly more demanding. This special issue is intended to provide a timely update of some recent progress in this exciting field.

The first four papers fall in the category of multiuser information theory. In the paper “Multiaccess Channels with State Known to Some Encoders and Independent Messages” by Kotagiri and Laneman, a state-dependent MAC channel with noiseless non-causal channel state knowledge at a strict subset of encoders is considered. Such models may find applications in information embedding and cognitive radios. Inner bounds are derived for the discrete memoryless and additive white Gaussian channels and compared to some outer bounds. In some special cases (binary channel with maximum entropy channel state, and Gaussian channel with large variance channel state subject to certain conditions on the signal powers), capacity regions are obtained. Some observations on the coding strategies are made that are different from the case of all encoders being informed. The second paper, “Slotted Gaussian Multiple Access Channel: Stable Region and Role of Side Information” by Aggarwal and Sabharwal, studies the relationship between the Shannon Capacity and queuing stability of the multiple access channel. They explore the stable throughput regions in various scenarios regarding available knowledge about

source arrival and queue state at the transmitters and receiver, for both large block length (the conventional Shannon sense) and large SNR (but with finite block length) cases. It is revealed that, the knowledge of mean arrival rates about all sources and one-bit side information about each queue state at all nodes is sufficient to guarantee that the stable throughput region coincides with the Shannon capacity region. Lack of such knowledge at the transmitters leads to a considerable decrease in the throughput region, which nonetheless can be recovered through feedback from the receiver. This work takes a nice step towards quantifying the importance of side information to the performance of real communication networks. The third paper by Ghabeli and Aref, "A New Achievable Rate and the Capacity of Some Classes of Multilevel Relay Network", switches the attention to another interesting topic in this area, capacity of relay channels. This work presents a new achievable rate for the multilevel relay network based on some partial decoding schemes, and shows that it is capacity-achieving for semi-deterministic and orthogonal relay networks. In the paper "Cores of Cooperative Games in Information Theory", Madiman makes an interesting contribution to multiuser information theory by giving rate or capacity regions a game-theoretic interpretation. While most results presented, ranging from distributed source coding and multiple access channels to distributed inference and composite hypothesis testing, may already be known, the reader may find such an approach and the insights thus obtained inspiring.

Base station cooperation or multi-cell processing has drawn significant research interest recently due to its great potential to deal with co-channel interference, which is usually the limiting factor in modern cellular systems. The paper "Multi-Cell Downlink Capacity with Coordinated Processing", coauthored by Jing, Tse, Soriaga, Hou, Smees, and Padovani, investigates a rich set of designs for cooperative downlink transmissions, considering Wyner-type network models with single-class and double-class users (cell-edge vs. cell-interior), respectively. A singularity problem is identified for linear precoders, and some remedies are provided. This work contains a detailed discussion of tradeoffs between performance improvement, requirement of channel knowledge and processing complexity. The following two papers study multi-cell processing on the uplink channel. The paper "Distributed Iterative Multiuser Detection through Base Station Cooperation" by Khattak, Rave, and Fettweis addresses cooperative detection in an uplink scenario through distributed and iterative processing among base stations. One interesting feature of this work is its emphasis on reducing backhaul traffic and thus cooperation cost. Two approaches are taken towards this objective: only information about strong signals is exchanged, and suitable quantization schemes are applied. In the same uplink framework with cooperative base stations, the paper "Throughput of Cellular Systems with Conferencing Mobiles and Cooperative Base-Stations", coauthored by Simeone, Somekh, Kramer, Poor, and Shamai, further considers cooperation among mobile stations through finite-capacity and localized channels orthogonal to the main traffic channel. Two scenarios are considered within the linear Wyner model: inter-cell conferencing with intra-cell TDMA, and intra-cell conferencing only. For both scenarios, a transmission scheme based on rate splitting and cooperative transmission is proposed, and proved to be optimal in the regime of high conferencing capacity. Some open problems in this exciting area are also presented.

Efficient transceiver design constitutes a perennial research topic in the communications and signal processing society, and recent years have seen increased interest on multi-antenna and multi-user settings. The paper “Guaranteed Performance Region in Fading Orthogonal Space-Time Coded Broadcast Channels”, coauthored by Jorswieck, Ottersten, Sezgin, and Paulraj, is concerned with a MIMO fading broadcast channel where the transmitter applies orthogonal space-time block coding and mobiles only feed back the channel norm to the base station. This work studies the region of mean-square errors (MSE) achievable at each receiver, which directly maps to SINR in most cases and is also an appropriate performance metric in its own right in certain settings. Based on this system metric, the impact of various system and channel parameters is examined, and a range of designs with different levels of channel state information and precoding strategies are compared. The paper “Transmitter Layering for Multi-User MIMO Systems”, by Schlegel, Truhachev, and Bagley, proposes a transmitter structure for single- and multi-user MIMO systems, which admits a low-complexity iterative detection procedure and yet achieves outstanding performance over a wide range of operating scenarios. The work of Krause, Taylor, and Martin, “A Unified Approach to List-based Multiuser Detection in Overloaded Receivers”, focuses on multiuser receiver design in the overloaded case, which is of special interest in practical wireless systems. The authors present a unified framework for list-based iterative multiuser detection, striking a good balance between performance and complexity as compared to the traditional linear and joint maximum likelihood detectors at the two extremes.

The last two papers of this special issue extend the study to the higher layers on the protocol stack. As one of the many attempts recently to improve the throughput scalability in wireless ad hoc networks, the paper “Scalable Ad Hoc Networks for Arbitrary-Cast: Practical Broadcast-relay Transmission Strategy Leveraging Physical-layer Network Coding” by Chen, Cai, and Xiang exploits recent advances in network coding to address the limiting factor in this scenario, mutual interference due to concurrent transmissions. The study ranges from the physical up to the network layer, and treats rather general network topologies and traffic patterns. Various issues concerning the implementation of physical-layer network coding in practice are coped with. Finally, the paper “An Efficient Scheduling Scheme to Enhance the Capacity of VoIP Services in Evolved UTRA Uplink” by Kim proposes an improved scheduling algorithm for 3GPP that allows adaptive resource sharing between users, and can improve the performance of real-time services such as voice over IP.

We would like to take this opportunity to express our sincere thanks to the authors for contributing to this special issue, and to the reviewers for providing prompt and detailed remarks that helped improve the quality of the manuscripts. We also wish to thank the editor-in-chief and the editorial office for their support through the entire editing process. It is our hope that this special issue can bring to the society some timely directions and results in this widespread and flourishing field, and promote continuing efforts towards gaining a unified understanding of communication networks.

Huaiyu Dai

Michael Gastpar

Nihar Jindal

Liang-Liang Xie