

Table 4. Postemergence Herbicides Registered for Use on Woody Ornamentals

OT = registered for over-the-top use. D = registered for directed applications O* = registered for over-the-top use on certain species within the genus; consult label for details. D* = registered for directed applications on certain species within the genus; consult label for details.	Acclaim Extra	Basagran TO	Casoron	Envoy	Fusilade II	Goal	Lontrel	Sedgehammer	Segment
<i>Abelia x grandiflora</i>		D		OT	OT			D	OT
<i>Buxus spp.</i>	O*	D	OT	O*	O*			D	O*
<i>Buxus harlandii</i>		D	OT					D	
<i>Buxus microphylla</i>	O*	OT	OT		O*		OT	D	OT
<i>Buxus sempervirens</i>		D	OT	OT	O*			D	OT
<i>Callistemon spp.</i>		D		O*	D*			D	O*
<i>Callistemon lanceolatus</i>		D			OT			D	OT
<i>Calluna spp.</i>		D	OT		O*			D	
<i>Camellia spp.</i>		D	OT	O*	O*			D	O*
<i>Camellia japonica</i>		D	OT	OT	OT			D	OT
<i>Camellia sasanqua</i>		D	OT		OT			D	OT
<i>Caragana arborescens</i>		D	OT					D	
<i>Carissa spp.</i>		D			O*			D	OT
<i>Carissa grandiflora</i>		D			OT			D	OT
<i>Carya illinoensis</i>		D		D		D*		D	OT
<i>Caryopteris clandonensis</i>		D						D	OT
<i>Cassia spp.</i>		D			D*			D	O*
<i>Castanea mollissima</i>		D				D*		D	
<i>Catalpa bignoniodes</i>		D						D	OT
<i>Ceanothus americanus</i>		D	OT					D	
<i>Ceanothus griseus</i>		D			D			D	
<i>Cedrus spp.</i>		D		OT				D	
<i>Cedrus atlantica</i>		D		OT				D	
<i>Cedrus deodara</i>		D		OT				D	
<i>Celtis occidentalis</i>		D	OT		OT			D	OT
<i>Ceratonia siliqua</i>		D						D	OT
<i>Cercis canadensis</i>		D		OT	OT	D		D	
<i>Chaenomeles speciosa</i>		D	OT		OT	D		D	
<i>Chamaecyparis spp.</i>	OT	D	O*		O*			D	O*
<i>Chamaecyparis lawsoniana</i>	OT	D			OT			D	
<i>Chamaecyparis obtusa</i>	OT	D			OT			D	
<i>Chamaecyparis pisifera</i>	OT	D			D			D	OT
<i>Chamaerops humilis</i>		D			OT			D	OT
<i>Cistus spp.</i>		D	OT		O*			D	O*
<i>Citrus spp.</i>		D		D	O*	D		D	OT
<i>Cornus spp.</i>	O*	D	OT	O*	O*	D*		D	O*
<i>Cornus alternifolia</i>		D	OT					D	OT
<i>Cornus amonum</i>		D	OT					D	OT
<i>Cornus florida</i>	OT	D	OT	OT	OT	D	D	D	OT
<i>Cornus kousa</i>		D	OT					D	

Table 4. Postemergence Herbicides Registered for Use on Woody Ornamentals

OT = registered for over-the-top use. D = registered for directed applications O* = registered for over-the-top use on certain species within the genus; consult label for details. D* = registered for directed applications on certain species within the genus; consult label for details.	Acclaim Extra	Basagran TO	Casoron	Envoy	Fusilade II	Goal	Lontrel	Sedgehammer	Segment
<i>Cornus mas</i>		D	OT		OT			D	
<i>Cornus sericea</i>		D	OT		O*			D	OT
<i>Corylus spp.</i>		D	OT	D*		D*		D	
<i>Cotinus coggryia</i>		D						D	
<i>Cotoneaster spp.</i>	OT	D	OT		O*			D	O*
<i>Cotoneaster apiculatus</i>	OT	D	OT		OT			D	OT
<i>Cotoneaster dammeri</i>	OT	D	OT		O*			D	OT
<i>Cotoneaster horizontalis</i>	OT	D	OT					D	
<i>Cotoneaster microphyllus</i>	OT	D	OT		OT			D	
<i>Cotoneaster salicifolius</i>	OT	D	OT		O*			D	
<i>Crataegus spp.</i>	OT	D						D	
<i>Cryptomeria japonica</i>		D						D	
<i>Cupressocyparis leylandii</i>		D			D			D	OT
<i>Cupressus spp.</i>		D			O*			D	O*
<i>Cupressus sempervirens</i>		D			OT			D	OT
<i>Cycas revoluta</i>		D			OT			D	OT
<i>Cytisus spp.</i>		D						D	
<i>Deutzia spp.</i>		D	OT		O*			D	
<i>Diervilla lonicera</i>		D			OT			D	OT
<i>Diospyros virginiana</i>		D				D		D	
<i>Elaeagnus spp.</i>		D	OT	O*	O*	D*		D	O*
<i>Elaeagnus angustifolia</i>		D	OT	OT	OT	D		D	OT
<i>Elaeagnus pungens</i>		D	OT		OT			D	OT
<i>Eleagnus umbellata</i>		D	OT					D	OT
<i>Erica spp.</i>		D						D	
<i>Eriobotrya japonica</i>		D				D		D	OT
<i>Escallonia spp.</i>		D			O*			D	O*
<i>Escallonia rubra</i>		D			OT			D	
<i>Escallonia x exoniensis</i>		D							O*
<i>Eucalyptus spp.</i>		D		O*	D*	D*		D	O*
<i>Eucalyptus microtheca</i>		D			OT			D	
<i>Eucalyptus nicholii</i>		D			D			D	OT
<i>Eucalyptus rudis</i>		D			OT			D	
<i>Eucalyptus viminalis</i>		D				D		D	
<i>Euonymus spp.</i>	OT	D	OT	OT	D*			D	O*
<i>Euonymus alata</i>	OT	D	OT	OT	D			D	O*
<i>Euonymus fortunei</i>	OT	D	OT	OT	OT			D	
<i>Euonymus japonica</i>	OT	D	OT	OT	OT			D	O*
<i>Euonymus kiautschovica</i>	OT	D	OT	OT	OT			D	OT
<i>Fagus spp.</i>		D						D	

Table 4. Postemergence Herbicides Registered for Use on Woody Ornamentals

OT = registered for over-the-top use. D = registered for directed applications O* = registered for over-the-top use on certain species within the genus; consult label for details. D* = registered for directed applications on certain species within the genus; consult label for details.	Acclaim Extra	Basagran TO	Casoron	Envoy	Fusilade II	Goal	Lontrel	Sedgehammer	Segment
<i>Fatsyhedera lizei</i>		D			OT			D	
<i>Ficus spp.</i>		D		O*		D*		D	
<i>Forsythia spp.</i>	OT	D	OT		OT			D*	O*
<i>Forsythia intermedia</i>	OT	D	OT		OT			D*	
<i>Forsythia viridissima</i>	OT	D	OT		OT			D	O*
<i>Fraxinus spp.</i>		D	OT	OT	O*	D*		D	O*
<i>Fraxinus americana</i>		D	OT	OT	OT	D		D	OT
<i>Fraxinus pennsylvanica</i>		D	OT	OT	OT	D		D	OT
<i>Gardenia spp.</i>		D	OT	OT	O*			D	O*
<i>Gardenia jasminoides</i>		D	OT	OT	OT			D	OT
<i>Gelsemium sempervirens</i>		D			OT			D	OT
<i>Gingko biloba</i>		D						D	
<i>Gleditsia triacanthos var. inermis</i>		D			OT			D	OT
<i>Grevillea robusta</i>		D	OT	OT	OT			D	
<i>Gymnocladus dioicus</i>		D						D	OT
<i>Hamamelis virginiana</i>		D						D	
<i>Hedera canaiensis</i>		D			OT			D	OT
<i>Hedera helix</i>	OT	OT	OT	OT	O*			D	OT
<i>Hemigraphis alternata</i>		D						D	
<i>Hibiscus syriacus</i>		D			OT			D	
<i>Hydrangea spp.</i>	OT	D			O*			D	O*
<i>Hydrangea paniculata</i>	OT	D			OT			D	
<i>Hydrangea quercifolia</i>	OT	D			OT			D	
<i>Hypericum spp.</i>		D						D	O*
<i>Iberis sempervirens</i>		D		OT	OT			D	OT
<i>Ilex spp.</i>	O*	D	O*	OT	O*			D	O*
<i>Ilex aquifolium</i>		D	OT	OT				D	
<i>Ilex aquifolium x cornuta</i>		D	OT	OT				D	
<i>Ilex cassine</i>		D	OT	OT				D	
<i>Ilex cornuta</i>		O*		OT	OT			D	O*
<i>Ilex crenata</i>	OT	OT		OT	O*			D	O*
<i>Ilex glabra</i>		D		OT	OT			D	
<i>Ilex latifolia</i>		D	OT	OT				D	
<i>Ilex meserveae</i>	OT	D	OT	OT	OT			D	
<i>Ilex opaca</i>	OT	D	OT	OT	OT			D	
<i>Ilex vomitoria</i>		D	OT	OT	OT			D	OT
<i>Ilex x attenuata</i>		D	OT	OT	OT			D	
<i>Illicium spp.</i>		D		O*				D	
<i>Illicium floridanum</i>		D		OT				D	
<i>Jasminum spp.</i>		D		OT				D	O*

Table 4. Postemergence Herbicides Registered for Use on Woody Ornamentals

OT = registered for over-the-top use. D = registered for directed applications O* = registered for over-the-top use on certain species within the genus; consult label for details. D* = registered for directed applications on certain species within the genus; consult label for details.	Acclaim Extra	Basagran TO	Casoron	Envoy	Fusilade II	Goal	Lontrel	Sedgehammer	Segment
<i>Juglans nigra</i>		D		D		D*		D	OT
<i>Juglans spp.</i>		D	O*	D		D*		D	OT
<i>Juniperus spp.</i>	O*	D	OT	OT	D*	O*	OT*	D*	O*
<i>Juniperus chinensis</i>	O*	D	OT	OT	D*	OT		D*	O*
<i>Juniperus conferta</i>	O*	D	OT	OT	D*		OT	D*	O*
<i>Juniperus davurica</i> 'Parsoni'	OT	D	OT	OT				D	
<i>Juniperus excelsa</i>		D	OT	OT				D*	OT
<i>Juniperus horizontalis</i>	O*	D	OT	OT	D*	OT	OT	D*	O*
<i>Juniperus procumbens</i>		D	OT	OT		OT		D*	O*
<i>Juniperus sabina</i>		D	OT	OT	D*	OT		D*	O*
<i>Juniperus scopulorum</i>		D	OT	OT	D*	OT		D	
<i>Juniperus squamata</i>		D	OT	OT			OT	D*	OT
<i>Juniperus virginiana</i>		D	OT	OT	D*	OT		D	O*
<i>Justica spp.</i>		D		O*	D*			D	O*
<i>Justicia brandegeana</i>		D		OT	D			D	OT
<i>Kalmia latifolia</i>		D	OT					D	
<i>Koeleruteria paniculata</i>		D	OT		OT			D	OT
<i>Kolkwitzia amabilis</i>		D	OT					D	
<i>Laburnum anagyroides</i>		D		OT				D	
<i>Lagerstroemia indica</i>		D		OT	OT	D		D	OT
<i>Lantana spp.</i>		D		OT	D*			D	O*
<i>Larix spp.</i>		D						D	O*
<i>Lavendula spp.</i>		D						D	O*
<i>Leucophyllum frutescens</i>		D			OT			D	
<i>Leucothoe spp.</i>		D	OT		D*			D	
<i>Leucothoe axillaris</i>		D	OT		D			D	
<i>Ligustrum spp.</i>	OT	D	OT	OT	D*			D	O*
<i>Ligustrum amurense</i>		D	OT	OT	OT			D	
<i>Ligustrum japonicum</i>	OT	D	OT	OT	D*			D	OT
<i>Ligustrum lucidum</i>	OT	D	OT	OT	OT			D	OT
<i>Ligustrum ovalifolium</i>	OT	D	OT	OT	OT			D	
<i>Ligustrum sinense</i>	OT	D	OT	OT				D	
<i>Ligustrum x vicaryi</i>	OT	D	OT	OT	OT			D	
<i>Liquidambar styraciflua</i>		D		OT	OT	D		D	OT
<i>Liriodendron tulipifera</i>		D	OT			D		D	OT
<i>Livistona chinensis</i>		D			OT			D	
<i>Lonicera spp.</i>		D	OT	O*	D*			D	O*
<i>Lonicera japonica</i>		D	OT					D	
<i>Lonicera morrowii</i>		D	OT		OT			D	OT

Table 4. Postemergence Herbicides Registered for Use on Woody Ornamentals

OT = registered for over-the-top use. D = registered for directed applications O* = registered for over-the-top use on certain species within the genus; consult label for details. D* = registered for directed applications on certain species within the genus; consult label for details.	Acclaim Extra	Basagran TO	Casoron	Envoy	Fusilade II	Goal	Lontrel	Sedgehammer	Segment
<i>Lonicera pileata</i>		D	OT	OT				D	
<i>Lonicera xylosteum</i>		D	OT		OT			D	
<i>Maclura pomifera</i>		D						D	OT
<i>Magnolia spp.</i>	OT	D	OT		D*			D	O*
<i>Magnolia grandiflora</i>	OT	D	OT		D*			D	OT
<i>Magnolia stellata</i>	OT	D			OT			D	
<i>Mahonia spp.</i>		D		O*	O*			D	O*
<i>Mahonia aquifolium</i>		D		OT	OT			D	OT
<i>Mahonia x wagneri</i>		D			OT			D	
<i>Malus spp.</i>		D	OT	O*	O*	D*		D	OT
<i>Malus floribunda</i>		D	OT		OT	D		D	OT
<i>Malus halliana var. parkmanii</i>		D		OT				D	OT
<i>Malus x domestica</i>		D		D		D*		D	OT
<i>Morus alba</i>		D	OT	OT				D	
<i>Myoporum spp.</i>		D			O*			D	O*
<i>Myrica cerifera</i>		D			OT			D	
<i>Myrica pensylvanica</i>		D		OT				D	
<i>Myrtus communis</i>		D						D	O*
<i>Nandina domestica</i>	OT	D	OT	OT	D			D	OT
<i>Nerium oleander</i>	OT	D		OT	D*			D	OT
<i>Nyssa sylvatica</i>		D						D	
<i>Ochna serrulata</i>		D						D	OT
<i>Olea spp.</i>		D		D	O*	D*		D	OT
<i>Osmanthus spp.</i>		D	OT	O*	O*			D	O*
<i>Osmanthus fragrans</i>		D	OT	OT	OT			D	OT
<i>Osmanthus heterophyllus</i>		D	OT					D	OT
<i>Oxydendrum arboreum</i>		D						D	
<i>Pachysandra terminalis</i>		OT		OT	OT			D	OT
<i>Parkensonia aculeata</i>		D			OT			D	OT
<i>Parthenocissus tricuspidata</i>		D						D	OT
<i>Paulownia tomentosa</i>		D						D	OT
<i>Paxistima canbyi</i>		D	OT					D	
<i>Phellodendron amurense</i>		D	OT					D	
<i>Philadelphus spp.</i>		D	OT		O*			D	OT
<i>Phoenix roebelenii</i>		D			OT			D	OT
<i>Photinia fraseri</i>	OT	D	OT	OT	OT			D	OT
<i>Photinia glabra</i>	OT	D	OT	OT				D	OT
<i>Phyllostachys aurea</i>		D			OT			D	
<i>Physocarpus spp.</i>		D			O*			D	O*
<i>Physocarpus opulifolius</i>		D			OT			D	O*

Table 4. Postemergence Herbicides Registered for Use on Woody Ornamentals

OT = registered for over-the-top use. D = registered for directed applications O* = registered for over-the-top use on certain species within the genus; consult label for details. D* = registered for directed applications on certain species within the genus; consult label for details.	Acclaim Extra	Basagran TO	Casoron	Envoy	Fusilade II	Goal	Lontrel	Sedgehammer	Segment
<i>Picea spp.</i>		D		OT	O*	O*	O*	D*	O*
<i>Picea abies</i>		D		OT	OT	OT	OT	D	OT
<i>Picea glauca</i>		D		OT	OT	O*	OT	D*	OT
<i>Picea pungens</i>		D		OT	OT	OT	OT	D	OT
<i>Picea rubens</i>		D		OT				D	
<i>Picea sitchensis</i>		D		OT		OT		D	
<i>Pieris japonica</i>		D			OT			D	OT
<i>Pieris spp.</i>		D			O*			D	O*
<i>Pinus spp.</i>	O*	D	O*	OT	O*	O*	O*	D*	O*
<i>Pinus banksiana</i>		D	OT	OT		OT		D	OT
<i>Pinus clausa</i>		D		OT					
<i>Pinus contorta</i>		D	OT	OT		OT	OT	D	OT*
<i>Pinus echinata</i>		D	OT	OT		OT		D	
<i>Pinus elliotii</i>		D	OT	OT	OT	OT		D	OT
<i>Pinus mugo</i>		OT	OT	OT	OT	OT	OT	D*	OT
<i>Pinus nigra</i>		D	OT	OT	OT	OT		D	OT
<i>Pinus omorika</i>		D		OT	OT				
<i>Pinus palustris</i>		D	OT	OT	OT	OT		D	OT
<i>Pinus parviflora</i>		D	OT	OT				D	OT
<i>Pinus pinea</i>		D	OT	OT				D	OT
<i>Pinus ponderosa</i>		D	OT	OT	OT	OT	OT	D	O*
<i>Pinus pungens</i>		D		OT	OT				
<i>Pinus radiata</i>		D	OT	OT	OT	OT		D	OT
<i>Pinus resinosa</i>		D	OT	OT	OT			D	OT
<i>Pinus rigida</i>		D	OT	OT	OT				
<i>Pinus serotina</i>		D	OT	OT	OT				
<i>Pinus strobiformis</i>		D	OT	OT					
<i>Pinus strobus</i>	OT	D	OT	OT	OT	OT	OT	D	OT
<i>Pinus sylvestris</i>		D	OT	OT	OT	OT	OT	D	OT
<i>Pinus taeda</i>		D	OT	OT	OT	OT		D	OT
<i>Pinus thunbergii</i>		D	OT	OT				D	OT
<i>Pinus virginiana</i>		D	OT	OT	OT	OT		D	OT
<i>Pinus wallichiana</i>		D	OT	OT		OT		D	
<i>Pistacia spp.</i>		D		D*		D*		D	OT
<i>Pittosporum spp.</i>		D	OT	OT	O*			D	O*
<i>Pittosporum tobira</i>		D	OT	OT	OT			D	OT
<i>Platanus occidentalis</i>					OT	D	D	D	OT
<i>Platanus x acerifolia</i>					OT			D	
<i>Platycladus orientalis</i>		D	OT		OT	OT		D*	OT
<i>Plumbago spp.</i>		D			O*			D	

Table 4. Postemergence Herbicides Registered for Use on Woody Ornamentals

OT = registered for over-the-top use. D = registered for directed applications O* = registered for over-the-top use on certain species within the genus; consult label for details. D* = registered for directed applications on certain species within the genus; consult label for details.	Acclaim Extra	Basagran TO	Casoron	Envoy	Fusilade II	Goal	Lontrel	Sedgehammer	Segment
<i>Podocarpus gracilor</i>		D		OT	D			D	
<i>Podocarpus macrophyllus</i>		D			OT				OT
<i>Populus alba</i>		D				D*			OT
<i>Populus spp.</i>		D	OT			D		D	O*
<i>Populus deltoides</i>		D	OT			D		D	
<i>Potentilla spp.</i>		D		OT	O*		D*	D	O*
<i>Potentilla fruticosa</i>		D		OT	O*		D	D	
<i>Potentilla verna</i>		D			OT				O*
<i>Prosopis chilensis</i>		D			OT			D	
<i>Prunus spp.</i>		D		D		D		D	OT
<i>Prunus spp.</i>		D				D		D	OT
<i>Prunus spp.</i>		D		D*	D*	D*		D	OT
<i>Prunus avium</i>		D		D					OT
<i>Prunus caroliniana</i>		D			O*			D	O*
<i>Prunus cerasifera</i>		D				D		D	OT
<i>Prunus glandulosa</i>		D	OT			D*		D	OT
<i>Prunus laurocerasus</i>		D						D	OT
<i>Prunus persica</i>		D	OT	D		D*		D	OT
<i>Prunus sargentii</i>		D				D		D	OT
<i>Prunus serotina</i>		D				D		D	OT
<i>Prunus serrulata</i>		D				D		D	OT
<i>Prunus spp.</i>		D		D		D		D	OT
<i>Prunus subhirtella pendulata</i>		D				D		D	OT
<i>Prunus tomentosa</i>		D							OT
<i>Prunus triloba</i>		D	OT	OT	OT	D*		D	OT
<i>Prunus x cistena</i>		D				D		D	OT
<i>Prunus yedoensis</i>		D				D		D	OT
<i>Pseudosuga menziesii</i>		D		OT	OT	OT	OT	D*	OT
<i>Pyracantha spp.</i>	OT	D	OT	OT	O*			D	O*
<i>Pyracantha coccinea</i>	OT	D	OT	OT	O*			D	
<i>Pyracantha fortuneana</i>		D	OT	OT				D	O*
<i>Pyracantha 'Mohave'</i>		D	OT		OT			D	
<i>Pyrus spp.</i>		D		D*	O*	D*		D	OT
<i>Pyrus calleryana 'Bradford'</i>		D			OT	D		D	OT
<i>Pyrus communis</i>		D		D		D*		D	OT
<i>Quercus alba</i>		D	OT	OT				D	OT
<i>Quercus spp.</i>		O*	OT	OT	O*	D*	D*	D	O*
<i>Quercus coccinea</i>		D	OT	OT				D	
<i>Quercus nigra</i>		D	OT	OT		D		D	OT

Table 4. Postemergence Herbicides Registered for Use on Woody Ornamentals

OT = registered for over-the-top use. D = registered for directed applications O* = registered for over-the-top use on certain species within the genus; consult label for details. D* = registered for directed applications on certain species within the genus; consult label for details.	Acclaim Extra	Basagran TO	Casoron	Envoy	Fusilade II	Goal	Lontrel	Sedgehammer	Segment
<i>Quercus pagoda</i>		D	OT	OT		D		D	
<i>Quercus palustris</i>		D	OT	OT	OT	D		D	
<i>Quercus phellos</i>		D	OT	OT		D	D	D	OT
<i>Quercus prinus</i>		D	OT	OT		D		D	
<i>Quercus rubra</i>		OT	OT	OT		D	D	D	OT
<i>Quercus virginiana</i>		D	OT	OT	OT			D	
<i>Raphiolepis indica</i>		D		OT	OT			D	OT
<i>Raphiolepis umbellata</i>		D			OT			D	
<i>Rhamnus frangula</i>		D							O*
<i>Rhamnus spp.</i>		D			OT			D	O*
<i>Rhododendron (spp.) (azalea)</i>	OT		O*	OT	D*			D	O*
<i>Rhododendron (azalea) Gable hybrids</i>	OT		OT	OT	O*				
<i>Rhododendron (azalea) Girard hybrids</i>	OT		OT	OT	O*				
<i>Rhododendron (azalea) Glend Dale hybrids</i>	OT		OT	OT	OT				
<i>Rhododendron (azalea) Kurume hybrids</i>	OT		OT	OT	D				O*
<i>Rhododendron (azalea) Northern Lights hybrid</i>	OT		OT	OT					O*
<i>Rhododendron (azalea) Pericat hybrids</i>	OT		OT	OT	O*				
<i>Rhododendron (azalea) Ruthfordiana hybrid</i>	OT		OT	OT	O*				
<i>Rhododendron (azalea) Satsuki hybrids</i>	OT		OT	OT	O*				
<i>Rhododendron (azalea) southern indica type</i>	OT		OT	OT	O*				
<i>Rhododendron spp.</i>	OT		OT	OT	D*			D*	O*
<i>Rhododendron carolinianum</i>	OT		OT	OT				D*	O*
<i>Rhododendron catawbiense</i>	OT		OT	OT	O*		OT*	D*	O*
<i>Rhododendron indicum</i>	OT		O*	OT	D*			D	O*
<i>Rhododendron maximum</i>	OT		OT	OT				D*	O*
<i>Rhododendron molle</i>	OT		O*	OT				D	O*
<i>Rhododendron obtusum</i>	OT		O*	OT	D*		OT*	D	O*
<i>Rhododendron PJM group</i>	OT		OT	OT	D*			D	
<i>Rhus spp.</i>		D			O*			D	O*
<i>Ribes alpinum</i>		D						D	OT
<i>Robinia spp.</i>		D	OT			D*		D	O*
<i>Robinia pseudoacacia</i>		D	OT			D			OT
<i>Rosa banksiae</i>		D			OT			D	
<i>Rosa spp.</i>	OT	D	OT	OT	O*			D	
<i>Rosmarnius spp</i>		D			O*			D	
<i>Rubus spp.</i>		D		D				D	OT
<i>Salix spp.</i>	OT	D	OT		D*			D	O*
<i>Salix alba</i>	OT	D	OT		OT			D	
<i>Salix babylonica</i>	OT	D	OT		OT			D	
<i>Salix babylonica</i>	OT	D	OT		OT			D	

Table 4. Postemergence Herbicides Registered for Use on Woody Ornamentals

OT = registered for over-the-top use. D = registered for directed applications O* = registered for over-the-top use on certain species within the genus; consult label for details. D* = registered for directed applications on certain species within the genus; consult label for details.	Acclaim Extra	Basagran TO	Casoron	Envoy	Fusilade II	Goal	Lontrel	Sedgehammer	Segment
<i>Salix matsudana</i>	OT	D	OT					D	O*
<i>Salix purpurea</i>	OT	D	OT		OT			D	
<i>Samanea saman</i>		D						D	
<i>Sambucus spp.</i>		D						D	
<i>Santolina chamaecyparissus</i>		D			OT			D	OT
<i>Sequoia sempervirens</i>		D						D	OT
<i>Sophora japonica</i>		D			OT			D	
<i>Sorbus americana</i>		D	OT						OT
<i>Sorbus spp.</i>		D	OT		O*			D	O*
<i>Sorbus aucuparia</i>		D	OT					D	OT
<i>Sorbus decora</i>		D	OT					D	OT
<i>Spiraea spp.</i>		D	OT	O*	D*		D*	D	O*
<i>Spiraea japonica</i>		D	OT		O*		D*	D	O*
<i>Spiraea nipponica</i>		D	OT		OT			D	O*
<i>Spiraea thunbergii</i>		D	OT	O*	OT			D	
<i>Spiraea vanhouttei</i>		D	OT		D*			D	OT
<i>Spirea x bumalda</i>		D	OT					D	
<i>Symphoricarpos albus</i>		D						D	
<i>Syringa spp.</i>		D	OT		O*	D*		D	O*
<i>Syringa chinensis</i>		D	OT		D			D	OT
<i>Syringa meyeri</i>		D	OT		OT			D	OT
<i>Syringa patula</i>		D	OT					O*	
<i>Syringa pubescens subsp. patula</i>		D	OT					D	
<i>Syringa villosa</i>		D	OT		OT			D	
<i>Syringa vulgaris</i>		D	OT			D		D	O*
<i>Syringa x persica</i>		D	OT					D	
<i>Syngium paniculatum</i>		D			OT			D	OT
<i>Taxodium distichum</i>		D		OT				D	
<i>Taxus spp.</i>	OT	O*	OT	OT	O*	OT	OT*	D*	O*
<i>Taxus baccata</i>	OT	D	OT	OT		OT			OT
<i>Taxus canadensis</i>	OT	D	OT	OT		OT		D*	
<i>Taxus cuspidata</i>	OT	OT	OT	OT	OT	OT		D*	O*
<i>Taxus x media</i>	OT	O*	OT	OT	O*	OT	OT	D*	

Table 4. Postemergence Herbicides Registered for Use on Woody Ornamentals

OT = registered for over-the-top use. D = registered for directed applications O* = registered for over-the-top use on certain species within the genus; consult label for details. D* = registered for directed applications on certain species within the genus; consult label for details.	Acclaim Extra	Basagran TO	Casoron	Envoy	Fusilade II	Goal	Lontrel	Sedgehammer	Segment
<i>Ternstroemia gymnanthera</i> (<i>Cleyera japonica</i>)		D	OT	OT	OT			D	
<i>Thuja spp.</i>		O*	OT	O*	O*	O*		D*	O*
<i>Thuja occidentalis</i>		OT	OT	OT	O*	OT	OT*	D*	O*
<i>Tilia americana</i>		D	OT	OT	OT				OT
<i>Tilia spp.</i>		D	OT	OT	OT			D	O*
<i>Tilia cordata</i>		D	OT	OT	OT				OT
<i>Trachelospermum asiaticum</i>		D		OT	OT			D	OT
<i>Trachelospermum jasminoides</i>		D		OT	OT			D	OT
<i>Trachycarpus fortunei</i> (<i>Chamaerops excelsa</i>)		D			OT			D	OT
<i>Tsuga spp.</i>		D		O*	O*	O*		D*	O*
<i>Tsuga canadensis</i>		D		OT	OT	OT		D*	OT
<i>Tsuga caroliniana</i>		D						D*	
<i>Tsuga heterophylla</i>		D		OT		OT		D	
<i>Ulmus americana</i>		D	OT					D	
<i>Ulmus spp.</i>		D	OT					D	O*
<i>Ulmus pumila</i>		D	OT					D	
<i>Vaccinium spp.</i>		D		D	D*			D	OT
<i>Viburnum spp.</i>	OT	D		O*	D*			D	O*