


1. (12 points) Find the length of the curve represented by  $x=2+9t^2$ ,  $y=1+6t^3$ ,  $0 \leq x \leq 1$
2. (8 points) Find the average value of the function  $y=3x^2$  on  $[1,4]$
3. (8 points) Write out the formulas needed (**DO NOT SOLVE THEM**) to find the centroid of the region bounded by  $y=\ln x$ , the  $x$ -axis,  $x=2$ , and  $x=6$ .
4. (11 points) A spring has a natural length of 8 inches. If a force of 5 lbs is required to stretch the spring from its natural length to 14 inches, find the work done stretching the spring from 14 inches to 20 inches. Include the appropriate units with your answer.
5. (10 points) Find the orthogonal trajectories of  $y^4=kx^2$
6. (10 points) Use Euler's method with a stepsize of 0.5 to estimate  $y(0.5)$  and  $y(1)$  for the Initial Value Problem (IVP)  $y'=4x+y-1$ ,  $y(0)=3$ . Be sure to clearly indicate the values of your estimates.
7. (12 points) Set up an integral (**DO NOT EVALUATE**) to find the work required to pump all of the water out of a spout located 2m above the top of a hemispherical tank, if the water in the tank starts 1m down and the tank has a radius of 6m. The density of water is  $1000 \text{ kg/m}^3$  and gravity is  $9.8\text{m/s}^2$ .
8. (8 points) A tank contains 25 gallons of a solution consisting of 0.46lb of salt dissolved in water. A solution that contains 0.21 lb of salt per gal enters the tank at a rate of 8gal/min. The solution is mixed and drains from the tank at the same rate. If  $y$  represents the amount of salt at time  $t$ , formulate the IVP (**DO NOT SOLVE IT**) to describe the rate of change of the amount of salt in the tank with respect to time.
9. (11 points) Solve the IVP  $\frac{dy}{dx}=2xe^{-4y}$   $y(0)=0$
10. (10 points) Set up an integral (**DO NOT EVALUATE**) to find the hydrostatic force on one side of the dorsal fin of the shark shown on the back of the paper. Assume that the fin is triangular and has the given dimensions. The weight density of salt water is  $64 \text{ lb/ft}^3$ . Include the units with your answer.



2 ft

1.5 ft

1 ft

## C2 T2 V2 Solutions

1. (12 pts)  $\frac{dx}{dt} = 18t$      $\frac{dy}{dt} = 18t^2$

$$L = \int_0^1 \sqrt{(18t)^2 + (18t^2)^2} dt$$

$$= \int_0^1 \sqrt{18^2 t^2 + 18^2 t^4} dt$$

$$= \int_0^1 18t \sqrt{1+t^2} dt$$

$$\begin{array}{ll} u = 1+t^2 & u(0) = 1 \\ du = 2t dt & u(1) = 2 \end{array}$$

$$= \int_1^2 9 \sqrt{u} du$$

$$= \int_1^2 9 u^{1/2} du$$

$$= 9 \left( \frac{2}{3} \right) u^{3/2} \Big|_1^2 = \boxed{6 \cdot 2^{3/2} - 6}$$

2. (8 pts) faver =  $\frac{1}{b-a} \int_a^b f(x) dx$

$$\begin{aligned} &= \frac{1}{4-1} \int_1^4 3x^2 dx \\ &= \frac{1}{3} x^3 \Big|_1^4 = \frac{1}{3} [4^3 - 1] \\ &= \frac{63}{3} = \boxed{21} \end{aligned}$$

3. (8pts)

$$(\bar{x}, \bar{y}) = \left( \frac{\int_2^6 x \ln x \, dx}{\int_2^6 \ln x \, dx}, \frac{\int_2^6 \frac{1}{2} (\ln x)^2 \, dx}{\int_2^6 \ln x \, dx} \right)$$

4. (11pts)

$$F = kx$$

$$5 = k \left( \frac{1}{2} \right) \quad \swarrow \quad 14 - 8 = 6 \text{ in}$$

$$k = 10$$

$$W = \int_{1/2}^1 10x \, dx = 5x^2 \Big|_{1/2}^1 = \boxed{5 - 5\left(\frac{1}{4}\right)}$$

5. (10pts)

$$4y^3 \frac{dy}{dx} = 2kx$$

$$\frac{dy}{dx} = \frac{2kx}{4y^3} = \frac{kx}{2y^3}$$

$$\perp: \frac{dy}{dx} = -\frac{2y^3}{kx}$$

$$k: k = \frac{y^4}{x^2} \quad \frac{dy}{dx} = \frac{-2y^3}{\frac{y^4}{x^2} x}$$

$$\frac{dy}{dx} = -\frac{2x}{y}$$


$$\int y \, dy = \int -2x \, dx \quad \boxed{\frac{1}{2}y^2 = -x^2 + C} \quad \text{or} \quad \boxed{\frac{1}{2}y^2 + x^2 = C}$$

6. (10 pts)

$$y(0.5) \approx y_1 = y_0 + hf(x_0, y_0) \\ = 3 + \frac{1}{2} (4 \cdot 0 + 3 - 1) \\ = 4$$

$$y(1) \approx y_2 = 4 + \frac{1}{2} (4 \cdot (\frac{1}{2}) + 4 - 1) \\ = 4 + \frac{1}{2} (5)$$

7. (12 pts)



$$x^2 + y^2 = 36 \\ y = \sqrt{36 - x^2}$$

$$W = \int_1^6 1000(9.8) \pi [\sqrt{36 - x^2}]^2 (x+2) dx$$

8. (8 pts)

$$\left[ \frac{dy}{dt} = \left( \frac{8 \text{ gal}}{\text{min}} \right) \left( 0.21 \frac{\text{lb}}{\text{gal}} \right) - \left( \frac{8 \text{ gal}}{\text{min}} \right) \left( \frac{y}{25} \right) \right] \\ y(0) = 0.46 \text{ lb}$$

$$9. (11 \text{ pts}) \int e^{4y} dy = \int 2x dx$$

$$\frac{1}{4} e^{4y} = x^2 + C$$

$$e^{4y} = 4x^2 + C_1$$


$$4y = \ln(4x^2 + C_1)$$

$$y = \frac{1}{4} \ln(4x^2 + C_1)$$

$$y(0) = 0 = \frac{1}{4} \ln(0 + C_1) \rightarrow C_1 = 1$$

$$y = \frac{1}{4} \ln(4x^2 + 1)$$

10. (10 pts)



$$\frac{l}{x-2} = \frac{1.5}{1}$$

$$l = 1.5(x-2)$$

$$F = \int_2^3 64 [1.5(x-2)] x dx \text{ lbs}$$