

# 8.1/8.2 Sequences & Series

Def: A sequence is an ordered list of numbers  $\{a_1, a_2, a_3, \dots\}$

Def: A series,  $\sum a_n$ , is the sum of an infinite sequence.

In 8.2 we have only 4 techniques for determining convergence of a series.

## Geometric Series

$$\sum_{n=1}^{\infty} ar^{n-1} = a + ar + ar^2 + \dots$$

convergent if  $|r| < 1$  and converges to  $\frac{a}{1-r}$

divergent otherwise

## Harmonic Series

$$\sum_{n=1}^{\infty} \frac{1}{n}$$

diverges. We also know any constant multiple of the Harmonic series diverges

## Divergence Test

$\sum a_n$  diverges if  $\lim_{n \rightarrow \infty} a_n$  does not exist or if  $\lim_{n \rightarrow \infty} a_n \neq 0$

## Telescoping Sum

\*  $a_n$  is a rational function, express using partial fractions, look at the 1st few partial sums for a pattern.

\* Alternatively,  $a_n$  is the difference of 2 functions, write out the 1st few partial sums & look for a pattern.

Ex ①  $a_n = \cos\left(\frac{1}{n^2+1}\right)$

a) Does the sequence  $\{a_n\}$  converge or diverge?

b) Does  $\sum_{n=1}^{\infty} a_n$  converge or diverge?

a)  $\lim_{n \rightarrow \infty} \cos\left(\frac{1}{n^2+1}\right) = \cos 0 = 1$

Sequence converges to 1

b)  $\sum_{n=1}^{\infty} a_n$  diverges by the divergence test since  $\lim_{n \rightarrow \infty} a_n = 1 \neq 0$

Ex ②  $a_n = \frac{1}{7n}$

a) Does the sequence  $\{a_n\}$  converge or diverge?      b) Does the series converge or diverge?

a)  $\lim_{n \rightarrow \infty} a_n = \lim_{n \rightarrow \infty} \frac{1}{7n} = 0$

The sequence converges to 0

b)  $\sum_{n=1}^{\infty} \frac{1}{7n}$  the series diverges since it is a constant multiple of the harmonic series

\* NOTE:  $\lim_{n \rightarrow \infty} a_n = 0$  DOES NOT imply  $\sum a_n$  converges. If the Divergence Test doesn't work try another test.

Ex 3  $a_n = \frac{(-3)^n}{(20)^{n+1}}$  Same questions as before

a)  $\lim_{n \rightarrow \infty} a_n = \lim_{n \rightarrow \infty} \frac{1}{20} \cdot \left(\frac{-3}{20}\right)^n = 0$

The sequence converges to zero

b)  $\sum_{n=1}^{\infty} a_n = \sum_{n=1}^{\infty} \frac{(-3)^n}{20^{n+1}} = \frac{-3}{20^2} + \frac{(-3)^2}{20^3} + \frac{(-3)^3}{20^4} + \dots$   
 $a + ar + ar^2 + \dots$

$$a = \frac{-3}{20^2} \quad r = \frac{-3}{20}$$

$|r| = \left|\frac{-3}{20}\right| < 1$  so this is a convergent

Geometric series

$$\sum_{n=1}^{\infty} a_n = \frac{a}{1-r} = \frac{-3/20^2}{1 - (-3/20)} = \frac{-3/20^2}{23/20} = \frac{-3}{20^2} \cdot \frac{20}{23} = \boxed{\frac{-3}{460}}$$

Ex 4  $a_n = \frac{4}{n(n+1)}$  Same questions

a)  $\lim_{n \rightarrow \infty} \frac{4}{n(n+1)} = 0$  Sequence converges to 0

b)  $\sum_{n=1}^{\infty} \frac{4}{n(n+1)} = \sum_{n=1}^{\infty} \frac{A}{n} + \frac{B}{n+1}$

$$A(n+1) + Bn = 4$$

$$An + A + Bn = 4$$

$$A = 4$$

$$A + B = 0$$

$$B = -4$$

$$\sum_{n=1}^{\infty} \frac{4}{n} - \frac{4}{n+1}$$

$$S_1 = \frac{4}{1} - \frac{4}{2}$$

$$S_2 = 4 - \cancel{\frac{4}{2}} + \cancel{\frac{4}{2}} - \frac{4}{3}$$

$$S_3 = 4 - \cancel{\frac{4}{3}} + \cancel{\frac{4}{3}} - \frac{4}{4}$$

$$S_4 = 4 - \cancel{\frac{4}{4}} + \cancel{\frac{4}{4}} - \frac{4}{5}$$

⋮

$$S_n = 4 - \frac{4}{n+1}$$

$$\lim_{n \rightarrow \infty} S_n = 4$$

Series converges to 4

EX (5) Same question  $a_n = \ln\left(\frac{n}{n+1}\right)$

$$a) \lim_{n \rightarrow \infty} \ln\left(\frac{n}{n+1}\right) = \ln\left(\lim_{n \rightarrow \infty} \frac{n}{n+1}\right) = \ln(1) = 0$$

Sequence converges to 0

$$b) \sum_{n=1}^{\infty} \ln\left(\frac{n}{n+1}\right) = \sum_{n=1}^{\infty} \ln(n) - \ln(n+1)$$

$$S_1 = \ln 1 - \ln 2 = -\ln 2, S_2 = \cancel{\ln 2} + \cancel{\ln 2} - \ln 3,$$

$$S_3 = -\ln 3 + \ln 3 - \ln 4 = -\ln 4$$

⋮

$$S_n = -\ln(n+1)$$

$$\lim_{n \rightarrow \infty} S_n = -\infty \quad \text{Series diverges}$$