

# A STOCHASTIC CONTROL MODEL OF INVESTMENT, PRODUCTION AND CONSUMPTION

BY

WENDELL H. FLEMING

(*Division of Applied Mathematics, Brown University, Providence, RI 02912.*)

AND

TAO PANG

(*Department of Mathematics, NC State University, Raleigh, NC 27695.*)

April 13, 2004

**Abstract.** We consider a stochastic control model in which an economic unit has productive capital and also liabilities in the form of debt. The worth of capital changes over time through investment, and also through random Brownian fluctuations in the unit price of capital. Income from production is also subject to random Brownian fluctuations. The goal is to choose investment and consumption controls which maximize total expected discounted HARA utility of consumption. Optimal control policies are found using the method of dynamic programming. In case of logarithmic utility, these policies have explicit forms.

## 1 Introduction

In this paper we consider a stochastic control model of the following kind. (Section 2 gives a detailed formulation of the model.) An economic unit has productive capital and also liabilities in the form of debt. The worth  $K_t$  of capital at time  $t$  changes through investment, and also through random fluctuations in the unit price of capital  $P_t$ . See equation (2.2). The debt  $L_t$  owed by the economic unit changes through interest payments, investment, consumption and income from production. Income from production  $Y_t$  fluctuates randomly, and it is proportional to the number of units of capital. See (2.3) and (2.4). The net worth of the economic unit is  $X_t = K_t - L_t$ . We require that  $X_t > 0$ . The random fluctuations in the price  $P_t$  and in the productivity of capital are modeled through Brownian motion inputs  $\tilde{w}_t, w_t$  to the stochastic differential equations (2.7), (2.9) which  $P_t$  and  $X_t$  satisfy. The goal is to maximize the total discounted expected utility of consumption (2.10) subject to the constraint (2.11).

One interpretation of the model is as an extension of the classical Merton-type small investor

---

2000 *Mathematics Subject Classification.* 60H30, 91B28, 93E20

*Email:* whf@cfm.brown.edu

*Email:* tpang@math.ncsu.edu

portfolio optimization model. In this interpretation,  $K_t$  is the investor's wealth in a risky asset and  $-L_t$  is his wealth in a riskless asset. Income from production  $Y_t$  represents dividends, which are proportional to the number of shares  $N_t$  of the risky asset owned by the investor. Many modifications of the Merton models have been considered by several authors. In [B-P, F-Sh2], continuous time portfolio optimization models of Merton type were considered, where the mean returns of individual asset categories are explicitly affected by underlying economic factors such as dividends and interest rates. The case of a Merton-type model with consumption and the interest rate, which vary in a random, Markovian way, was considered in the authors' other papers [F-P, P1, P2]. In some other extension of the model, stochastic volatility is taken into consideration. See [F-HH, F-P-S, Z].

In Section 3 the case of logarithmic utility function is considered. An elementary argument, using the Ito differential rule, gives an optimal investment control policy. This policy is also optimal for the problem of maximizing  $E \log X_T$ , the expected log utility of net worth at any time  $T$ . See Proposition 3.1. The optimal long term growth rate of  $E \log X_T$  depends on the function  $\mu(P)$  in the stochastic differential equation (2.7) for the unit capital price  $P_t$ . The optimal long term growth rate is found explicitly if  $\mu(P) = \mu$  is a constant, or if  $P_t$  is ergodic.

In Section 4, non-logarithmic HARA utility functions are considered, using the method of dynamic programming. The stochastic control problem has states  $X_t, \lambda_t$  where  $\lambda_t = \log P_t$ . The controls are  $k_t, c_t$  where  $C_t = c_t X_t$  is the consumption rate. For HARA utility, the dynamic equation for the value function  $V(x, \lambda)$  reduces to the ordinary differential equation (4.9) for a function  $W(\lambda)$ , or equivalently, equation (4.11) for  $Z(\lambda) = \log W(\lambda)$ . By a sub/super solution method, a bounded solution  $Z(\lambda)$  to (4.11) is found. Optimal investment and consumption control policies  $k^*(\lambda)$  and  $c^*(\lambda)$  are expressed in terms of  $Z(\lambda)$  and its derivative  $Z_\lambda(\lambda)$  via (4.31).

The work reported here was partly stimulated by a related study of macro-economic stochastic control models in international finance [F-St1], [F-St2]. In our model, and also in [F-St1], the rate  $k_t = K_t/X_t$  has the role of an investment control. The ratio  $L_t/X_t$  of debt to net worth is  $k_t - 1$ . Debt is often a useful means of economic development, leading to enhanced wealth and consumption. However, high levels of  $L_t/X_t$  in fluctuating economic environments carry risks as well as benefits. We believe that there is a role for stochastic control models for addressing such issues. The model in this paper and in [F-St1] should be considered prototypes, which we hope will stimulate further work. See also comments in Section 5 in this regard.

## 2 Problem formulation

Let  $N_t$  denote the number of the units of capital at time  $t$  and  $P_t$  the unit price of capital. Then the total worth of capital is

$$K_t = N_t P_t. \quad (2.1)$$

Let  $I_t$  denote the investment rate. Then

$$dK_t = K_t \cdot \frac{dP_t}{P_t} + P_t dN_t = K_t \cdot \frac{dP_t}{P_t} + I_t dt. \quad (2.2)$$

Let  $Y_t$  denote the rate of income from production. We assume that  $Y_t$  is proportional to the number of units  $N_t$  of capital:

$$Y_t dt = b_t N_t dt, \quad (2.3)$$

where  $b_t$  is the productivity of capital. Let  $L_t$  denote the debt and  $C_t$  the consumption rate at time  $t$ . The balance equation for the change in debt is

$$dL_t = [r_t L_t + I_t + C_t - Y_t] dt, \quad (2.4)$$

where  $r_t$  is the interest rate. In this paper, we assume that  $r_t = r$  is a constant. However, both the unit price of capital  $P_t$  and the productivity  $b_t$  are random, as we shall specify.

Let  $X_t$  denote the net worth of the economic unit at time  $t$ :

$$X_t = K_t - L_t. \quad (2.5)$$

We impose the constraints  $C_t \geq 0, K_t \geq 0$  and  $X_t > 0$  ( or equivalently,  $L_t < K_t$ ). Note that  $L_t$  can be positive or negative. If  $L_t < 0$ , then  $-L_t$  is the amount invested in a ‘safe’ financial asset, which earns interest at rate  $r$ . No bounds are imposed on the investment rate  $I_t$ . Let  $k_t = K_t/X_t, c_t = C_t/X_t$ . By subtracting (2.4) from (2.2), we obtain, with  $r_t = r$

$$dX_t = X_t \left[ k_t \frac{dP_t}{P_t} - \left( r(k_t - 1) + c_t - b_t \frac{k_t}{P_t} \right) dt \right]. \quad (2.6)$$

We assume that  $P_t$  satisfies a stochastic differential equation of the form

$$dP_t = P_t [\mu(P_t)dt + \tilde{\sigma}d\tilde{w}_t]. \quad (2.7)$$

where  $\tilde{\sigma} > 0$ ,  $\tilde{w}_t$  is a standard Brownian motion and  $\mu(P)$  is such that (2.7) has a pathwise unique positive solution for any initial data  $P_0 > 0$ . If  $\mu(P) = \mu$  is constant, then  $P_t$  is a log Brownian motion. The productivity  $b_t$  is subject to white-noise type fluctuations about a constant mean productivity  $b > 0$ . More precisely, we assume that

$$b_t dt = b dt + \sigma dw_t, \quad (2.8)$$

where  $\sigma > 0$  and  $w_t$  is another standard Brownian motion. The Brownian motions  $\tilde{w}_t, w_t$  may be correlated:

$$E[\tilde{w}_t \cdot w_t] = \rho t, \quad |\rho| \leq 1.$$

The formal equation (2.6) now takes the precise form:

$$\begin{aligned} dX_t = & X_t \left[ \left( \mu(P_t) + \frac{b}{P_t} - r \right) k_t dt + (r - c_t) dt \right. \\ & \left. + \tilde{\sigma} k_t d\tilde{w}_t + \frac{\sigma k_t}{P_t} dw_t \right]. \end{aligned} \quad (2.9)$$

The optimal stochastic control problem which we consider is the following. The controls are  $k_t$  and  $c_t$ , which we call respectively investment and consumption controls. The state variables are  $X_t, P_t$ . The state dynamics are (2.7), (2.9). Let  $U(C)$  denote a utility function. Then the goal is to choose controls to maximize total expected discounted utility of consumption:

$$J = E \int_0^\infty e^{-\delta t} U(c_t X_t) dt, \quad \delta > 0, \quad (2.10)$$

subject to the constraints

$$c_t \geq 0, \quad k_t \geq 0, \quad X_t > 0. \quad (2.11)$$

We require that the control  $(k_t, c_t; t \geq 0)$  is a  $\mathbf{R}^2$ -valued process. In addition, we require that  $(k_t, c_t)$  is  $\mathcal{F}_t$ -progressively measurable for some  $(\tilde{w}_t, w_t)$ -adapted increasing family of  $\sigma$ -algebras  $(\mathcal{F}_t, t \geq 0)$ . See [F-So] Chapter 4 for details. In certain cases,  $(k_t, c_t)$  can be obtained from a locally Lipschitz continuous control policy  $(\underline{k}, \underline{c})$ :

$$k_t = \underline{k}(t, X_t, P_t), \quad c_t = \underline{c}(t, X_t, P_t),$$

where  $X_t, P_t$  are obtained by substituting these policies in (2.7), (2.9).

We note that if productivity of capital is omitted from the model ( $b = \sigma = 0$ ), then it reduces to the classical small-investor portfolio optimization problem, with the no short-selling constraint  $k_t \geq 0$ . For  $\mu(P) = \mu$ , a constant larger than the interest rate  $r$ , and for HARA utility  $U(C)$ , this problem has the familiar explicit Merton solution. When productivity of capital is included in the model, there is again an explicit solution for utility  $U(C) = \log C$ . See formula (3.7) below. However, for non-log HARA utility, this is no longer true (Section 4).

### 3 Log utility function

In this section, we consider the log utility function case

$$U(C) = \log C. \quad (3.1)$$

Moreover, we assume in this section that the ratio  $c_t = C_t/X_t$  of consumption to net worth is a constant  $c$ . It will be seen that the optimal consumption control for the optimal stochastic control problem in Section 2 is  $c_t^* = \delta$ , when utility is logarithmic. See Remark 4.1 at the end of Section 4.

When  $c_t = c$  is constant and utility is logarithmic, the optimal investment control policy can be found by the following elementary calculation. In (2.10),

$$J = \frac{1}{\delta} \log c + \int_0^\infty e^{-\delta T} E \log X_T dT. \quad (3.2)$$

By applying the Ito differential rule to  $d \log X_t$  and using (2.9), we obtain

$$E[\log X_T] = \log x_0 + \int_0^T E[Q(k_t, P_t)] dt + (r - c)T, \quad (3.3)$$

where  $x_0 = X_0$  is the initial net worth and

$$Q(k, P) = -\frac{\alpha_1(P)}{2} k^2 + \alpha_2(P)k, \quad (3.4)$$

$$\alpha_1(P) = \frac{1}{P^2} (\tilde{\sigma}^2 P^2 + 2\rho\sigma\tilde{\sigma}P + \sigma^2), \quad (3.5)$$

$$\alpha_2(P) = \mu(P) + \frac{b}{P} - r. \quad (3.6)$$

In this paper, we consider  $-1 < \rho \leq 1$ . From (2.7), we can show that  $P_t > 0$  as long as  $P_0 > 0$ , which is a reasonable assumption. Therefore, it is not hard to verify that  $\alpha_1(P) > 0$ , provided that  $P > 0, -1 < \rho \leq 1$ . Thus, for each  $P$ ,  $Q(k, P)$  is maximized subject to the constraint  $k \geq 0$ , when  $k = k^*(P)$ , where

$$k^*(P) = \begin{cases} \frac{\alpha_2(P)}{\alpha_1(P)}, & \text{if } \alpha_2(P) \geq 0, \\ 0, & \text{if } \alpha_2(P) < 0. \end{cases} \quad (3.7)$$

By (3.3),  $E[\log X_t]$  is maximized by taking  $k_t = k^*(P_t)$  for  $0 \leq t \leq T$ . Therefore, we have

**Proposition 3.1** *For any  $T > 0$  and constant consumption control ( $c_t = c$  for  $0 \leq t \leq T$ ), the investment control  $k^* = k^*(P_t)$  for  $0 \leq t \leq T$  maximizes  $E[\log X_T]$ .*

Note that the optimal control policy  $k^*(\cdot)$  is stationary (not time independent). Moreover,  $k^*(\cdot)$  does not depend on  $c$ . From (3.2), we also have:

**Corollary 3.2** *For each constant consumption control  $c$ , the investment control  $k_t^* = k^*(P_t)$  for all  $t \geq 0$  maximizes*

$$J = E \int_0^\infty e^{-\delta t} \log(c_t X_t) dt.$$

Let us return to the stochastic control problem in Section 2, in which the consumption control  $c_t$  need not to be constant. As already mentioned, the method of dynamic programming gives the (well-known) result that the optimal consumption control is  $c_t^* = \delta$ , which is constant. Thus, for log utility, the optimal controls for this problem are

$$k_t^* = k^*(P_t), \quad c_t^* = \delta, \quad (3.8)$$

where  $k^*(P)$  is given by (3.7). See Remark 4.1 at the end of Section 4.

**Optimal long term growth of  $E[\log X_t]$ .** Let us again choose  $c_t = c$  to be any constant consumption control, and choose  $k_t = k_t^* = k^*(P_t)$  optimally as in Proposition 3.1. By (3.3),

$$E[\log X_T] = \log x_0 + \int_0^T E[\Phi(P_t)] dt + (r - c)T, \quad (3.9)$$

$$\Phi(P) = Q(k^*(P), P). \quad (3.10)$$

The growth rate as  $T \rightarrow \infty$  of  $E[\log X_T]$  depends on the behavior of  $E[\Phi(P_t)]$  for large  $t$ . We analyze this only in two special cases.

**Case 1.**  $\mu(P) = \mu$  is constant and  $\mu > r$ . By (2.7),  $P_t$  is then a log Brownian motion. Moreover,

$$k^*(P) = \frac{(b + (\mu - r)P)P}{\sigma^2 + 2\rho\sigma\tilde{\sigma}P + \tilde{\sigma}^2P^2}, \quad (3.11)$$

$$\Phi(P) = \frac{(b + (\mu - r)P)^2}{2(\sigma^2 + 2\rho\sigma\tilde{\sigma}P + \tilde{\sigma}^2P^2)}. \quad (3.12)$$

The function  $\Phi(P)$  is bounded, and has limit  $(\mu - r)^2/(2\tilde{\sigma}^2)$  as  $P \rightarrow \infty$ . Since  $\mu > r$ ,  $P_t$  tends to infinity almost surely as  $t \rightarrow \infty$ . Hence

$$\begin{aligned} \lim_{t \rightarrow \infty} E[\Phi(P_t)] &= \frac{(\mu - r)^2}{2\tilde{\sigma}^2}, \\ \lim_{T \rightarrow \infty} \frac{1}{T} E[\log X_T] &= \frac{(\mu - r)^2}{2\tilde{\sigma}^2} + r - c. \end{aligned} \quad (3.13)$$

This is the same result as for the classical Merton model, with  $b = \sigma = 0$ . Note also that  $k^*(P)$  tends to  $(\mu - r)/(\tilde{\sigma}^2)$  as  $P \rightarrow \infty$ . This limit is the classical Merton result for log utility.

**Case 2.**  $P_t$  is ergodic. In this case

$$\lim_{T \rightarrow \infty} \frac{1}{T} E[\log X_T] = E_{eq} \Phi + r - c. \quad (3.14)$$

**Example 3.3.** Let

$$\mu(P) = -a \log \frac{P}{\bar{P}} + \frac{1}{2} \tilde{\sigma}^2, \quad (3.15)$$

where  $a, \bar{P}$  are positive constants. Then  $\lambda_t = \log P_t$  satisfies the linear stochastic differential equation

$$d\lambda_t = -a(\lambda_t - \bar{\lambda})dt + \tilde{\sigma}d\tilde{w}_t, \quad (3.16)$$

where  $\bar{\lambda} = \log \bar{P}$ . The equilibrium distribution of  $\lambda_t$  is Gaussian with mean  $\bar{\lambda}$  and variance  $\tilde{\sigma}^2/(2a)$ , from which the equilibrium distribution of  $P_t$  can be calculated. This model for  $P_t$  is of the type considered by Platen-Rebollo [P-R] and also Fleming-Sheu [F-Sh1], after a constant linear trend in  $\lambda_t$  has been removed.

## 4 Non-log HARA utility function

In this section, we consider the non-log HARA utility case:

$$U(C) = \frac{1}{\gamma} C^\gamma, \quad -\infty < \gamma < 1, \quad \gamma \neq 0.$$

For simplicity, let us again take  $r_t \equiv r$ , which is a constant. We also assume that  $\mu(P) = \mu$  is a constant and  $\mu > r$  in this section.

Assume that the equations of  $K_t, L_t, P_t, b_t, X_t$  are still given by (2.2), (2.4), (2.7), (2.8) and (2.5). The goal is to maximize the objective function

$$J = E \int_0^\infty e^{-\delta t} \frac{1}{\gamma} C_t^\gamma dt, \quad (4.1)$$

subject to the constraints  $K_t \geq 0, C_t \geq 0, X_t > 0$ .

As in the Section 2, we take  $c_t \equiv \frac{C_t}{X_t}, k_t \equiv \frac{K_t}{X_t}$  as our controls. Then the equation of  $X_t$  can be written as

$$dX_t = X_t \left[ \left( \mu + \frac{b}{P_t} - r \right) k_t dt + (r - c_t) dt + k_t \left( \tilde{\sigma} d\tilde{w}_t + \frac{\sigma}{P_t} dw_t \right) \right], \quad (4.2)$$

where  $\tilde{w}_t$  and  $w_t$  are two standard Brownian motions that are correlated with each other:

$$E[d\tilde{w}_t \cdot dw_t] = \rho dt, \quad -1 < \rho \leq 1.$$

Let

$$\lambda_t = \log P_t, \quad y_t = e^{-\lambda_t} = P_t^{-1}.$$

Then, by virtue of (2.7), we can get

$$d\lambda_t = \tilde{\mu} dt + \tilde{\sigma} d\tilde{w}_t, \quad (4.3)$$

where  $\tilde{\mu} = \mu - \frac{1}{2}\tilde{\sigma}^2$ . The equation of  $X_t$  can be rewritten as

$$dX_t = X_t [(\mu + by_t - r) k_t dt + (r - c_t) dt + k_t (\tilde{\sigma} d\tilde{w}_t + \sigma y_t dw_t)]. \quad (4.4)$$

Use  $X_t, \lambda_t$  as the state variables. The value function is

$$V(x, \lambda) = \sup_{c_t \geq 0, k_t \geq 0} E_{x, \lambda} \int_0^\infty e^{-\delta t} \frac{1}{\gamma} (c_t X_t)^\gamma dt, \quad (4.5)$$

where  $x, \lambda$  are the initial values of  $X_t, \lambda_t$ . For non-log HARA utility function, it is not hard to show that  $V(x, \lambda)$  is homogenous in  $x$  with an order of  $\gamma$ . Therefore the value function has the form

$$V(x, \lambda) = \frac{W(\lambda)}{\gamma} x^\gamma. \quad (4.6)$$

By virtue of Ito's rule, we can write the dynamic programming equation for  $V(x, \lambda)$  as

$$\begin{aligned} \delta V &= \frac{\tilde{\sigma}^2}{2} V_{\lambda\lambda} + \tilde{\mu} V_\lambda + rx V_x + \max_{c \geq 0} \left[ -cx V_x + \frac{1}{\gamma} (cx)^\gamma \right] \\ &+ \max_{k \geq 0} \left[ (by + \mu - r) kx V_x + (\tilde{\sigma}^2 + \rho\sigma\tilde{\sigma}y) kx V_{x\lambda} + \frac{k^2 x^2 q(y)}{2} V_{xx} \right], \end{aligned} \quad (4.7)$$

where

$$q(y) = \sigma^2 y^2 + 2\rho\sigma\tilde{\sigma}y + \tilde{\sigma}^2. \quad (4.8)$$

We assume that  $\rho \neq -1$ , so that  $q(y) > 0$ . From (4.6), we can get that the reduced DPE for  $W$  is

$$\begin{aligned} \delta W &= \gamma \max_{k \geq 0} \left[ (by + \mu - r)kW + (\tilde{\sigma}^2 + \rho\sigma\tilde{\sigma}y)kW_\lambda - \frac{k^2}{2}(1-\gamma)q(y)W \right] \\ &\quad + \frac{\tilde{\sigma}^2}{2}W_{\lambda\lambda} + \tilde{\mu}W_\lambda + \gamma rW + (1-\gamma)W^{\frac{\gamma}{\gamma-1}}. \end{aligned} \quad (4.9)$$

Let  $Z = \log W$ . Then we have

$$\frac{W_\lambda}{W} = Z_\lambda, \quad \frac{W_{\lambda\lambda}}{W} = Z_{\lambda\lambda} + Z_\lambda^2. \quad (4.10)$$

So the equation of  $Z$  is

$$\begin{aligned} \delta &= \frac{\tilde{\sigma}^2}{2}(Z_{\lambda\lambda} + Z_\lambda^2) + \tilde{\mu}Z_\lambda + \gamma r + (1-\gamma)e^{\frac{Z}{\gamma-1}} \\ &\quad + \gamma \max_{k \geq 0} \left\{ [by + \mu - r + (\tilde{\sigma}^2 + \rho\sigma\tilde{\sigma}y)Z_\lambda]k - \frac{k^2}{2}(1-\gamma)q(y) \right\}, \end{aligned} \quad (4.11)$$

The maximum occurs at

$$k^*(\lambda) = \left[ \frac{by + \mu - r + (\tilde{\sigma}^2 + \rho\sigma\tilde{\sigma}y)Z_\lambda}{(1-\gamma)q(y)} \right]^+, \quad (4.12)$$

where  $a^+ \equiv \max(a, 0)$ . Define

$$G(\lambda, p) = \max_{k \geq 0} \left\{ [by + \mu - r + (\tilde{\sigma}^2 + \rho\sigma\tilde{\sigma}y)p]k - \frac{k^2}{2}(1-\gamma)q(y) \right\} \quad (4.13)$$

Then the equation (4.11) can be rewritten as

$$\delta = \frac{\tilde{\sigma}^2}{2}(Z_{\lambda\lambda} + Z_\lambda^2) + \tilde{\mu}Z_\lambda + \gamma r + (1-\gamma)e^{\frac{Z}{\gamma-1}} + \gamma G(\lambda, Z_\lambda). \quad (4.14)$$

In addition, denote  $\Psi$  as the follows:

$$\Psi(\lambda) = \frac{(by + \mu - r)^2}{2q(y)(1-\gamma)}. \quad (4.15)$$

Then it is easy to verify that

$$G(\lambda, p) \geq 0, \quad G(\lambda, 0) = \Psi(\lambda). \quad (4.16)$$

Define

$$H(\lambda, z, p) \equiv -\frac{\tilde{\sigma}^2}{2}p^2 - \tilde{\mu}p - \gamma G(\lambda, p) - \gamma r + \delta - (1-\gamma)e^{\frac{z}{\gamma-1}}. \quad (4.17)$$

It is easy to show that  $H$  is a continuous function. In addition, the equation (4.14) can be written as

$$\frac{\tilde{\sigma}^2}{2}Z_{\lambda\lambda} = H(\lambda, Z, Z_\lambda). \quad (4.18)$$

**Definition 4.1**  $Z(\lambda)$  is a subsolution (supersolution) of (4.18) provided that

$$\frac{\tilde{\sigma}^2}{2}Z_{\lambda\lambda} \geq (\leq) H(\lambda, Z, Z_\lambda). \quad (4.19)$$

Next, we will show that (4.18) possesses a classical solution, by virtue of the sub/super solution method. For details about sub/super solution method, please refer to Fleming and Pang [F-P] Section 3.

#### 4.1 $\gamma > 0$ case

We consider the case that  $0 < \gamma < 1$ . We need to get a pair of ordered subsolution and supersolution to obtain the existence results of equation (4.18).

First let us get some information about  $\Psi$ . Actually, since  $\mu$  is a constant, it is not hard to verify that  $\Psi$  is bounded. More particularly, if  $0 \leq \rho \leq 1$ , since  $y = e^{-\lambda} > 0$ , we have

$$\begin{aligned}\Psi(\lambda) &= \frac{(by + \mu - r)^2}{2(1 - \gamma)(\sigma^2 y^2 + 2\rho\sigma\tilde{\sigma}y + \tilde{\sigma}^2)} \\ &\leq \frac{(by + \mu - r)^2}{2(1 - \gamma)(\sigma^2 y^2 + \tilde{\sigma}^2)} \\ &\leq \frac{2b^2 y^2 + 2(\mu - r)^2}{2(1 - \gamma)(\sigma^2 y^2 + \tilde{\sigma}^2)} \\ &= \frac{b^2}{\sigma^2(1 - \gamma)} + \frac{(\mu - r)^2 - \frac{b^2 \tilde{\sigma}^2}{\sigma^2}}{(1 - \gamma)(\sigma^2 y^2 + \tilde{\sigma}^2)}.\end{aligned}$$

If  $(\mu - r)^2 - b^2 \tilde{\sigma}^2 / \sigma^2 \leq 0$ , then we have

$$\Psi(\lambda) \leq \frac{b^2}{\sigma^2(1 - \gamma)}.$$

Otherwise, we will have

$$\Psi(\lambda) \leq \frac{b^2}{\sigma^2(1 - \gamma)} + \frac{(\mu - r)^2 - \frac{b^2 \tilde{\sigma}^2}{\sigma^2}}{(1 - \gamma)\tilde{\sigma}^2} = \frac{(\mu - r)^2}{\tilde{\sigma}^2(1 - \gamma)}.$$

That is, in case  $0 \leq \rho \leq 1$ , we can get

$$\Psi(\lambda) \leq \max \left\{ \frac{b^2}{\sigma^2(1 - \gamma)}, \frac{(\mu - r)^2}{\tilde{\sigma}^2(1 - \gamma)} \right\}.$$

In addition, if  $-1 < \rho < 0$ , we have

$$2\rho\sigma\tilde{\sigma}y \geq \rho\sigma^2 y^2 + \rho\tilde{\sigma}^2.$$

Therefore, for  $-1 < \rho < 0$ , we can get

$$\begin{aligned}\Psi(\lambda) &= \frac{(by + \mu - r)^2}{2(1 - \gamma)(\sigma^2 y^2 + 2\rho\sigma\tilde{\sigma}y + \tilde{\sigma}^2)} \\ &\leq \frac{(by + \mu - r)^2}{2(1 - \gamma)(1 + \rho)(\sigma^2 y^2 + \tilde{\sigma}^2)} \\ &\leq \frac{2b^2 y^2 + 2(\mu - r)^2}{2(1 - \gamma)(1 + \rho)(\sigma^2 y^2 + \tilde{\sigma}^2)} \\ &\leq \frac{1}{1 + \rho} \max \left\{ \frac{b^2}{\sigma^2(1 - \gamma)}, \frac{(\mu - r)^2}{\tilde{\sigma}^2(1 - \gamma)} \right\}.\end{aligned}$$

Let

$$\tilde{\Psi} \equiv \max \left\{ \frac{b^2}{\sigma^2(1 - \gamma)}, \frac{(\mu - r)^2}{\tilde{\sigma}^2(1 - \gamma)} \right\}, \quad (4.20)$$

and

$$\bar{\Psi} \equiv \max \left\{ \tilde{\Psi}, \frac{\tilde{\Psi}}{1 + \rho} \right\}. \quad (4.21)$$

Then we can get that

$$0 \leq \Psi(\lambda) \leq \bar{\Psi} < \infty. \quad (4.22)$$

**Lemma 4.1** Suppose  $0 < \gamma < 1$  and

$$\delta > \gamma r. \quad (4.23)$$

In addition, define

$$K_1 \equiv (\gamma - 1) \log \left[ \frac{\delta - \gamma r}{1 - \gamma} \right]. \quad (4.24)$$

Then any constant  $K \leq K_1$  is a subsolution of (4.18).

This is easily verified, so the proof is omitted here.

**Lemma 4.2** Suppose  $0 < \gamma < 1$  and

$$\delta > \gamma(r + \bar{\Psi}), \quad (4.25)$$

where  $\bar{\Psi}$  is defined by (4.21). In addition, define

$$K_2 \equiv (\gamma - 1) \log \left[ \frac{\delta - \gamma(r + \bar{\Psi})}{1 - \gamma} \right]. \quad (4.26)$$

Then any constant  $K \geq K_2$  is a supersolution of (4.18).

The proof is omitted here.

**Lemma 4.3** Suppose  $0 < \gamma < 1$  and (4.25) holds. Then  $K_2 \geq K_1$ , where  $K_1, K_2$  are defined by (4.24) and (4.26) respectively. Moreover, (4.18) has a bounded classical solution  $\tilde{Z}(\lambda)$  which satisfies

$$K_1 \leq \tilde{Z}(\lambda) \leq K_2. \quad (4.27)$$

**Proof.** From (4.22), we can know that (4.25) implies (4.23). In addition, we can get  $K_2 \geq K_1$ . Therefore, by virtue of Lemma 4.1 and Lemma 4.2,  $\langle K_1, K_2 \rangle$  is a pair of ordered subsolution and supersolution of (4.18).

In addition, it is not hard to verify that

$$\begin{aligned} 0 &\leq \max_{k \geq 0} \left\{ [by + \mu - r + (\tilde{\sigma}^2 + \rho\sigma\tilde{\sigma}y)p]k - \frac{k^2}{2}(1 - \gamma)q(y) \right\} \\ &\leq \frac{(by + \mu - r + (\tilde{\sigma}^2 + \rho\sigma\tilde{\sigma}y)p)^2}{2(1 - \gamma)q(y)} \\ &\leq \frac{2(by + \mu - r)^2 + 2(\tilde{\sigma}^2 + \rho\sigma\tilde{\sigma}y)^2 p^2}{2(1 - \gamma)q(y)} \\ &= 2\Psi(\lambda) + \frac{2(\tilde{\sigma}^2 + \rho\sigma\tilde{\sigma}y)^2 p^2}{2(1 - \gamma)q(y)}, \end{aligned}$$

where  $\Psi(\lambda)$  is given by (4.15). For  $\rho \in (-1, 1]$ , it is not hard to show that  $q(y)$  is bounded below by a positive constant. Moreover, there exists a positive constant  $\tilde{C}_1$  such that

$$\frac{2(\tilde{\sigma}^2 + \rho\sigma\tilde{\sigma}y)^2}{2(1 - \gamma)q(y)} < \tilde{C}_1.$$

Thus, by virtue of (4.22), we can get that there exists a positive constant  $\tilde{C}_2$ , such that

$$0 \leq G(\lambda, p) \leq \tilde{C}_1 p^2 + \tilde{C}_2.$$

Combined with (4.17) and (4.27), the above inequality implies

$$|H(\lambda, z, p)| \leq C_1(p^2 + C_2), \quad z \in [K_1, K_2],$$

where  $K_1, K_2$  are given by (4.24), (4.26) and  $C_1, C_2$  are two positive constants. Therefore, by virtue of Fleming and Pang [F-P] Section 3 Theorem 1, (4.18) has a classical solution  $\tilde{Z}(\lambda)$  such that

$$K_1 \leq \tilde{Z}(\lambda) \leq K_2.$$

Then we are done. **Q.E.D.**

**Definition 4.2 (Admissible Control Space)**  $(k_t, c_t)$  is said to be in the admissible control space  $\Pi$ , if  $(k_t, c_t)$  is a  $\mathbf{R}^2$ -process which is progressively measurable with respect to a  $(w_t, \tilde{w}_t)$ -adapted family of  $\sigma$ -algebras  $(\mathcal{F}_t, t \geq 0)$ . Moreover, we require that

$$Pr \left( \int_0^T k_t^2 dt < \infty \right) = 1, \quad Pr \left( \int_0^T c_t dt < \infty \right) = 1,$$

so that (4.2), (4.4) have solutions.

**Lemma 4.4** Suppose  $0 < \gamma < 1$  and (4.25) holds. If  $\tilde{Z}(\lambda)$  is a classical solution of (4.18) which satisfies (4.27), then  $\tilde{Z}_\lambda$  is bounded.

**Proof.** From (4.27), we can see that  $\tilde{Z}(\lambda)$  is bounded. Therefore, to show that  $\tilde{Z}_\lambda(\lambda)$  is bounded, it is sufficient to show that  $\tilde{Z}_\lambda(\lambda)$  is bounded at its local maxima and minima.

Suppose  $\tilde{Z}_\lambda(\lambda)$  has a local maximum or minimum at  $\lambda_0$ . Then we have  $\tilde{Z}_{\lambda\lambda}(\lambda_0) = 0$ . Therefore, at  $\lambda = \lambda_0$ , we can get

$$\frac{\tilde{\sigma}^2}{2} \tilde{Z}_\lambda^2 + \tilde{\mu} \tilde{Z}_\lambda + G(\lambda, \tilde{Z}_\lambda) + \gamma r - \delta + e^{\frac{\tilde{Z}}{\gamma-1}} = 0,$$

where  $G(\lambda, p)$  and  $\Psi(\lambda)$  are given by (4.13) and (4.15), respectively. Since  $G(\lambda, p) \geq 0$ , we have

$$\frac{\tilde{\sigma}^2}{2} \tilde{Z}_\lambda^2 + \tilde{\mu} \tilde{Z}_\lambda + \gamma r - \delta + e^{\frac{\tilde{Z}}{\gamma-1}} \leq 0, \quad (4.28)$$

Moreover, by virtue of (4.22) and (4.27), we know that  $\gamma r - \delta + e^{\frac{\tilde{Z}}{\gamma-1}}$  is also bounded. Therefore, from equation (4.28), it is not hard to show that  $\tilde{Z}_\lambda$  is bounded at  $\lambda = \lambda_0$ . Since  $\lambda_0$  is an arbitrary maximum or minimum point of  $\tilde{Z}_\lambda$ ,  $\tilde{Z}_\lambda$  is bounded at its maxima and minima. Thus,  $\tilde{Z}_\lambda$  is bounded.

**Q.E.D.**

**Theorem 4.1 (Verification Theorem)** Suppose  $\gamma > 0$  and (4.25) holds. Let  $\tilde{Z}(\lambda)$  denote a classical solution of (4.18) which satisfies (4.27). Denote

$$\tilde{V}(x, \lambda) \equiv \frac{1}{\gamma} x^\gamma e^{\tilde{Z}(\lambda)}. \quad (4.29)$$

Then we have

$$\tilde{V}(x, \lambda) \equiv V(x, \lambda), \quad (4.30)$$

where  $V(x, \lambda)$  is the value function defined by (4.6). Moreover, the optimal control policy is

$$k^*(\lambda) = \left[ \frac{by + \mu - r + (\tilde{\sigma}^2 + \rho\sigma\tilde{\sigma}y)\tilde{Z}_\lambda(\lambda)}{(1-\gamma)q(y)} \right]^+, \quad c^*(\lambda) = e^{\frac{\tilde{Z}(\lambda)}{\gamma-1}}. \quad (4.31)$$

**Proof.** Since  $\tilde{Z}$  is a classical solution of (4.18), by definition, it is easy to verify that  $\tilde{V}(x, \lambda)$  is a classical solution of (4.7). For any admissible control  $(k_t, c_t) \in \Pi$ , by applying Ito's rule, we can get that

$$d[e^{-\delta t} \tilde{V}(X_t, \lambda_t)] = -\delta e^{-\delta t} \tilde{V}(X_t, \lambda_t) dt + e^{-\delta t} d\tilde{V}(X_t, \lambda_t).$$

Since  $\tilde{V}$  is a solution of (4.7), we can get

$$\tilde{V}(x, \lambda) \geq \int_0^T e^{-\delta t} \frac{1}{\gamma} (c_t X_t)^\gamma dt + e^{-\delta T} \tilde{V}(X_T, \lambda_T) + m_T + \tilde{m}_T. \quad (4.32)$$

where  $m_T, \tilde{m}_T$  are local martingales.

Let  $\tau_R$  denote the exit time of  $(X_t, \lambda_t)$  from  $\{x^2 + \lambda^2 \leq R^2\}$ . From (4.32), we can get

$$\tilde{V}(x, \lambda) \geq E \int_0^{T \wedge \tau_R} e^{-\delta t} \frac{1}{\gamma} (c_t X_t)^\gamma dt + E e^{-\delta T \wedge \tau_R} \tilde{V}(X_{T \wedge \tau_R}, \lambda_{T \wedge \tau_R}). \quad (4.33)$$

Since  $\tilde{V} > 0$ , let  $R \rightarrow \infty$ , and by virtue of Fatou's lemma, we can get

$$\tilde{V}(x, \lambda) \geq E \int_0^T e^{-\delta t} \frac{1}{\gamma} (c_t X_t)^\gamma dt.$$

Let  $T \rightarrow \infty$ . By the definition of  $V$ , we can get

$$\tilde{V}(x, \lambda) \geq V(x, \lambda). \quad (4.34)$$

On the other hand, for  $(k^*, c^*)$  given by (4.31), it is not hard to verify that  $(k^*, c^*) \in \Pi$ . In this case, (4.32) becomes an equality

$$\tilde{V}(x, \lambda) = \int_0^T e^{-\delta t} \frac{1}{\gamma} (c_t^* X_t)^\gamma dt + e^{-\delta T} \tilde{V}(X_T, \lambda_T) + m_T + \tilde{m}_T, \quad (4.35)$$

where

$$m_T = \int_0^T \sigma y_t k_t^* X_t \tilde{V}_x(X_t, \lambda_t) dw_t, \quad (4.36)$$

$$\tilde{m}_T = \int_0^T \tilde{\sigma}(k_t^* X_t \tilde{V}_x(X_t, \lambda_t) + \tilde{V}_\lambda(X_t, \lambda_t)) d\tilde{w}_t. \quad (4.37)$$

Since  $\tilde{Z}, \tilde{Z}_\lambda$  are bounded, from (4.31), we can show that  $k_t^*, y_t k_t^*$  and  $c_t^*$  are all bounded. Therefore, from (4.5), under the control policy (4.31), it is not hard to show that

$$E[X_t^m] < \infty, \quad \forall m > 0. \quad (4.38)$$

Given this, by virtue of (4.29), (4.36), (4.37), we can get that  $m_T, \tilde{m}_T$  are martingales. Therefore, by taking expectation to (4.35), we have

$$\tilde{V}(x, \lambda) = E \int_0^T e^{-\delta t} \frac{1}{\gamma} (c_t^* X_t)^\gamma dt + E e^{-\delta T} \tilde{V}(X_T, \lambda_T). \quad (4.39)$$

From (4.34), we can get that

$$E \int_0^\infty e^{-\delta t} \frac{1}{\gamma} (c_t^* X_t)^\gamma dt < \infty. \quad (4.40)$$

Therefore,

$$\liminf_{T \rightarrow \infty} E e^{-\delta T} \frac{1}{\gamma} (c_T^* X_T)^\gamma = 0.$$

By virtue of (4.31) and (4.27), we have

$$c_t^* \geq \underline{c} > 0,$$

where  $\underline{c}$  is a constant. Thus, we can get

$$\liminf_{T \rightarrow \infty} E e^{-\delta T} \frac{1}{\gamma} X_T^\gamma = 0.$$

Combined with (4.27) and (4.29), this implies

$$\liminf_{T \rightarrow \infty} E e^{-\delta T} \tilde{V}(X_T, \lambda_T) = 0.$$

Taking liminf as  $T \rightarrow \infty$  in (4.39), we can get

$$\tilde{V}(x, \lambda) = E \int_0^\infty e^{-\delta t} \frac{1}{\gamma} (c_t X_t)^\gamma dt.$$

By the definition of  $V(X, \lambda)$ , we have

$$\tilde{V}(x, \lambda) \leq V(x, \lambda),$$

which implied (4.30), combined with (4.34). **Q.E.D.**

## 4.2 $\gamma < 0$ Case.

In case of  $\gamma < 0$ , it is not hard to verify that (4.22) still holds. Similarly to  $\gamma > 0$  case, we can also get a pair of ordered subsolution and supersolution. The results are as the follows.

**Lemma 4.5** *Suppose  $\gamma < 0$ . Define*

$$K_1 \equiv (\gamma - 1) \log \left[ \frac{\delta - \gamma(r + \bar{\Psi})}{1 - \gamma} \right], \quad (4.41)$$

where  $\bar{\Psi}$  are given by (4.20). Then any constant  $K \leq K_1$  is a subsolution of (4.18).

**Lemma 4.6** *Suppose  $\gamma < 0$ . Define*

$$K_2 \equiv (\gamma - 1) \log \left[ \frac{\delta - \gamma r}{1 - \gamma} \right]. \quad (4.42)$$

Then any constant  $K \geq K_2$  is a supersolution of (4.18).

The proofs are rather standard, and they are omitted here.

Since  $\gamma < 0$ , it is easy to verify that that  $K_2 > K_1$ . Therefore,  $\langle K_1, K_2 \rangle$  is a pair of sub and super solutions of (4.18). Then, similarly to Lemma 4.3, we have the following lemma.

**Lemma 4.7** *Suppose  $\gamma < 0$ . Then (4.18) has a solution  $\tilde{Z}$  which satisfies*

$$K_1 \leq \tilde{Z}(\lambda) \leq K_2, \quad \forall \lambda, \quad (4.43)$$

where  $K_1, K_2$  are given by (4.41) and (4.42).

The proof is almost the same as the proof of Lemma 3. In addition, using the same techniques as in the proof of Lemma 5, we have

**Lemma 4.8** *Suppose  $\tilde{Z}$  is a classical solution of (4.18) which satisfies (4.43). Then  $\tilde{Z}_\lambda$  is bounded.*

Before we go to the verification theorem, let us define the admissible control space first.

**Definition 4.3** A progressive measurable control  $(k_t, c_t)$  is said to be in the admissible control space  $\Pi$  if  $k_t, e^{-\lambda_t} k_t, c_t$  are bounded and

$$c_t \geq \underline{c} > 0. \quad (4.44)$$

The verification theorem is as follows.

**Theorem 4.2 (Verification Theorem)** Suppose  $\gamma < 0$  and  $\tilde{Z}$  is a classical solution of (4.18) which satisfies (4.43). Denote

$$\tilde{V}(x, \lambda) \equiv \frac{1}{\gamma} x^\gamma e^{\tilde{Z}(\lambda)}. \quad (4.45)$$

Then we have

$$\tilde{V}(x, \lambda) \equiv V(x, \lambda), \quad (4.46)$$

where  $V(x, \lambda)$  is the value function defined by (4.6). Moreover, the optimal control policy is

$$k^*(\lambda) = \left[ \frac{by + \mu - r + (\tilde{\sigma}^2 + \rho\sigma\tilde{\sigma}y)\tilde{Z}_\lambda(\lambda)}{(1-\gamma)q(y)} \right]^+, \quad c^*(\lambda) = e^{\frac{\tilde{Z}(\lambda)}{\gamma-1}}. \quad (4.47)$$

**Proof.** Since  $\tilde{Z}$  is a classical solution of (4.18), by definition, it is easy to verify that  $\tilde{V}(x, \lambda)$  is a classical solution of (4.7). For any admissible control  $(k_t, c_t) \in \Pi$ , by applying Ito's rule, we can get that

$$d[e^{-\delta t} \tilde{V}(X_t, \lambda_t)] = -\delta e^{-\delta t} \tilde{V}(X_t, \lambda_t) dt + e^{-\delta t} d\tilde{V}(X_t, \lambda_t).$$

Since  $\tilde{V}$  is a solution of (4.7), we can get

$$\tilde{V}(x, \lambda) \geq \int_0^T e^{-\delta t} \frac{1}{\gamma} (c_t X_t)^\gamma dt + e^{-\delta T} \tilde{V}(X_T, \lambda_T) + m_T + \tilde{m}_T. \quad (4.48)$$

where

$$m_T = \int_0^T \sigma y_t k_t X_t \tilde{V}_x(X_t, \lambda_t) dw_t, \quad (4.49)$$

$$\tilde{m}_T = \int_0^T \tilde{\sigma}(k_t X_t \tilde{V}_x(X_t, \lambda_t) + \tilde{V}_\lambda(X_t, \lambda_t)) d\tilde{w}_t. \quad (4.50)$$

Since  $k_t, y_t k_t$  and  $c_t$  are all bounded, by virtue of (4.5), it is not hard to show that

$$E[X_t^m] < \infty, \quad \forall m > 0. \quad (4.51)$$

Given this and  $\tilde{Z}, \tilde{Z}_\lambda$  are bounded, by virtue of (4.45), (4.49), (4.50), we can get that  $m_T, \tilde{m}_T$  are martingales. Therefore, by taking expectation to (4.48), we have

$$\tilde{V}(x, \lambda) \geq E \int_0^T e^{-\delta t} \frac{1}{\gamma} (c_t X_t)^\gamma dt + E e^{-\delta T} \tilde{V}(X_T, \lambda_T). \quad (4.52)$$

If

$$E \int_0^\infty e^{-\delta t} \frac{1}{\gamma} (c_t X_t)^\gamma dt = -\infty,$$

then we must have

$$\tilde{V}(x, \lambda) \geq E \int_0^\infty e^{-\delta t} \frac{1}{\gamma} (c_t X_t)^\gamma dt. \quad (4.53)$$

If

$$E \int_0^\infty e^{-\delta t} \frac{1}{\gamma} (c_t X_t)^\gamma dt > -\infty, \quad (4.54)$$

noting that  $\gamma < 0$ , we have

$$\limsup_{T \rightarrow \infty} E e^{-\delta T} \frac{1}{\gamma} (c_T X_T)^\gamma = 0.$$

By virtue of (4.44), we can get

$$\limsup_{T \rightarrow \infty} E e^{-\delta T} \frac{1}{\gamma} X_T^\gamma = 0.$$

Combined with (4.45), (4.43), this implies

$$\limsup_{T \rightarrow \infty} E e^{-\delta T} \tilde{V}(X_T, \lambda_T) = 0.$$

Taking limsup as  $T \rightarrow \infty$  in (4.52), we can get

$$\tilde{V}(x, \lambda) = E \int_0^\infty e^{-\delta t} \frac{1}{\gamma} (c_t X_t)^\gamma dt.$$

By the definition of  $V(X, \lambda)$ , we have

$$\tilde{V}(x, \lambda) \geq V(x, \lambda). \quad (4.55)$$

On the other hand, for  $k^*, c^*$  defined by (4.47), by virtue of (4.43), it not hard to verify that  $(k^*, c^*) \in \Pi$ . Under this control policy, instead of (4.52), now we have an equality

$$\tilde{V}(x, \lambda) = E \int_0^T e^{-\delta t} \frac{1}{\gamma} (c_t^* X_t)^\gamma dt + E e^{-\delta T} \tilde{V}(X_T, \lambda_T). \quad (4.56)$$

Since  $\gamma < 0$ , we have  $\tilde{V} < 0$ . Thus,

$$\tilde{V}(x, \lambda) \leq E \int_0^T e^{-\delta t} \frac{1}{\gamma} (c_t^* X_t)^\gamma dt. \quad (4.57)$$

Let  $T \rightarrow \infty$ . Then we get

$$\tilde{V}(x, \lambda) \leq E \int_0^\infty e^{-\delta t} \frac{1}{\gamma} (c_t^* X_t)^\gamma dt. \quad (4.58)$$

By the definition of  $V$ , we must have

$$\tilde{V}(x, \lambda) \leq V(x, \lambda),$$

which implies (4.46), combined with (4.55). **Q.E.D.**

**Remark 4.1** For logarithmic utility  $U(C) = \log(C)$ ,  $-c x V_x + \log(cx)$  is maximum when  $c = c^* = (x V_x)^{-1}$ . The value function had the form

$$V(x, \lambda) = A \log x + W(\lambda).$$

By substituting in the dynamic programming equation (4.7), with log utility, we obtain  $A = \delta^{-1}$  and  $c^* = \delta$  as stated in (3.8).

## 5 Extensions of the model and future work

In this section, we mention several possible extensions and variants of the models considered in Section 2-4. These are topics for further research.

**A. External income.** Suppose that the economic unit receives income from some external source at a positive rate  $S_t$ . The balance equation (2.4) then becomes

$$dL_t = [r_t L_t + I_t + C_t - Y_t - S_t] dt. \quad (5.1)$$

If  $S_t = S$  is constant and the other assumptions made in Section 2 hold, then the problem of maximizing (2.10) can again be treated by dynamic programming. The dynamic programming equation (4.7) for the value function  $V(x, \lambda)$  has an additional term  $SV_x$ . With this additional term,  $V(x, \lambda)$  is no longer a homogenous function of  $x$ , and there is no “reduced” dynamic programming equation similar to (4.9).

As a special case, one can consider an economic unit with a fixed number of units of capital and with external income only. In this case,  $N_t = N, I_t = 0$  and  $Y_t = 0$  ( $b = \sigma = 0$ ). This could be used to model consumer debt, financed by home equity loans.  $S_t$  represents the consumer’s rate of income, financed from salary or other sources.

**B. Price dependent  $\mu(P)$ .** In the model (2.7) for capital unit price fluctuations and also in the log utility case (Section 3), we assumed a “drift term”  $P_t \mu(P_t) dt$ , with  $\mu(P)$  depending on price  $P$ . However, to avoid various technical difficulties, we took  $\mu$  constant in Section 4. In that case, the solution  $Z(\lambda)$ , with  $\lambda = \log P$ , to the reduced dynamic programming equation (4.11) is bounded together with its derivation  $Z_\lambda(\lambda)$ . One could also consider variable  $\mu(P)$ , with suitable assumptions which imply that  $P_t$  is ergodic (or perhaps that the fluctuations of  $P_t$  about a deterministic trend are ergodic, as in [F-Sh1], [P-R]). Example 3.3 is a special case. In (4.11) and (4.12),  $\mu$  and  $\tilde{\mu} = \mu - \frac{1}{2}\sigma^2$  now depend on  $P$ , or equivalently on  $\lambda$ .

**C. Parameters dependent on economic factors.** It may be unrealistic to assume that the various model parameters remain constant over time. This is especially true if the discount rate  $\delta$  is assumed small, and hence the planning horizon is (effectively) long. Several authors have considered modifications of the Merton model, in which interest rates as well as mean rates of return and volatility coefficients depend on economic factors which vary in a random, Markovian way. See [B-P], [F-HH], [F-Sh2], [F-P-S], [Z]. A similar extension of the model in the present paper could be considered. For example, one could let the interest rate  $r_t = r(z_t)$ , where  $z_t$  is some ergodic Markov process with stationary transition probabilities. The value function  $V(x, \lambda, z)$  then depends also on the initial state  $z_0 = z$  of the factor process  $z_t$ . The case of a Merton-type model with consumption, and with  $r_t = z_t, Y_t = 0$ , was considered in [F-P, P1, P2].

**D. Bounds on rates of investment.** In Section 2 no bounds were imposed on the investment rate  $I_t$ . This assumption is appropriate for a small investor portfolio optimization interpretation of the model, in which  $Y_t = b_t N_t$  represents a dividend rate. However, it would be less realistic if  $K_t$  and  $L_t$  are interpreted as the capital and debt of a productive economic unit, such as a business enterprise. Alternatively, one might impose constraints of the form

$$-a_1 K_t \leq I_t \leq a_2 K_t, \quad a_1 \geq 0, a_2 \geq 0. \quad (5.2)$$

## References

- [B-P] Bielecki, T. R. and Pliska, S. R. (1999), Risk sensitive dynamic asset management. *Appl. Math. and Optimization* 37, 337-360.
- [F] Fleming, W. H. (1995), Optimal investment models and risk-sensitive stochastic control. *IMA Vol. Math. Appl.*, **65**, 35-45, Springer, New York.
- [F-HH] Fleming, W. H. and Hernandez-Hernandez, D.(2003), An optimal consumption model with stochastic volatility, *Finance and Stochastics*, Vol. 7, 245-262.
- [F-P] Fleming, W. H. and Pang, T. (2002), An Application of Stochastic Control Theory to Financial Economics, to appear on *SIAM J. of Control and Optimization*.
- [F-R] Fleming, W. H. and Rishel, R. W. (1975), *Deterministic and Stochastic Optimal Control*. Springer, New York.
- [F-Sh1] Fleming, W. H. and Sheu, S. J. (1999), Optimal long term growth rate of expected utility of wealth. *Annals of Applied Probability*, Vol. **9**, No. 3, 871-903.
- [F-Sh2] Fleming, W. H. and Sheu, S. J. (2000), Risk-sensitive control and optimal investment model. *Mathematical Finance*, Vol. **10**, No. 2, 197-213.
- [F-So] Fleming, W. H. and Soner, H. M. (1992), *Controlled Markov Processes and Viscosity Solutions*. Springer, New York.
- [F-St1] Fleming, W. H. and Stein, J. L. (2001), Stochastic inter-temporal optimization in discrete time, in Negishi, Takashi, Rama Ramachandran and Kazuo Mino (ed) *Economic Theory, Dynamics and Markets: Essays in Honor of Ryuzo Sato*, Kluwer.
- [F-St2] Fleming, W. H. and Stein, J. L. (2004), Stochastic optimal control in international finance and debt, *J. Banking and Finance*, Vol 28, 979-996.
- [F-P-S] Fouque, J.P., Papanicolaou, G. and Sircar, R. (2000): *Derivatives in Financial Market with Stochastic Volatility*. Cambridge University Press.
- [P1] Pang, T. (2002), *Stochastic Control Theory and Its Applications to Financial Economics*, Ph.D thesis, Brown University, Providence, RI.
- [P2] Pang, T. (2002), Portfolio optimization models on infinite time horizon, to appear on *Journal of Optimization Theory and Applications*.
- [P-R] Platen, E. and Rebolledo, R. (1996), Principles for modelling financial markets. *J. Appl. Probability* **33**, 601-603.
- [Z] Zariphopoulou, T. (2001), A solution approach to valuation with unhedgeable risks. *Finance and Stochastics*, Vol. 5(1), 61-82.